The International Journal of Orthodontia

Editor: Martin Dewey, D.D.S., M.D.

VOL. IV

St. Louis, December, 1918

No. 12

ORIGINAL ARTICLES

A CONSIDERATION OF SOME PRINCIPLES OF REGULATING APPLIANCES*

By Martin Dewey, M.D., D.D.S., Chicago, Ill.

Head of the Department and Associate Professor of Orthodontia in the Dental Department of the University of Iowa.

REGULATING appliances may be defined as mechanical devices for exerting pressure upon malposed teeth for the purpose of creating cell activity and thereby causing the teeth to assume proper positions in the line of occlusion. According to this definition, regulating appliances must be considered as mechanical devices that produce pressure on the malposed tooth, and this pressure produces cell activity first and then in conjunction with the cell activity it moves the tooth into its proper position. A careful analysis of this definition will result in an understanding of regulating appliances which has not been observed in the past by many manufacturers and men advocating the use of different styles of appliances. In times past regulating appliances have been used and advocated which considered only one part of this definition; namely, the exerting of pressure upon malposed teeth for the purpose of moving them to a certain position. Any regulating appliance that has for its object the mechanical movement of a tooth without a consideration of cell activity will produce a pathologic movement and result in all sorts of undesirable conditions.

Any regulating appliance for the correction of malocclusion is only an aid toward Nature's process of development and should aim to produce pressure on the tooth and create cell activity, and from that time on the movement of the tooth should be as near in keeping with the development which occurs during natural development and tooth eruption as can possibly be obtained. In times

^{*}Read before the eighteenth meeting of the American Society of Orthodontists, Chicago, Ill., August 1-3, 1918.

past the various requirements of regulating appliances have been enumerated, and in the sixth edition of Angle's book we find the following: "Efficiency, simplicity, delicacy, inconspicuousness and stability of attachment." Admitting that these five requirements are essential, there is no question but that efficiency takes foremost rank among the requirements of regulating appliances. Regardless of how nicely an appliance may be constructed, or how beautifully it may work on paper, or how successful you may be in obtaining a patent from the patent office to cover this appliance, if it is not efficient it necessarily will be a decided failure. We recognize the fact that almost any style of appliance which exerts pressure on a malposed tooth will produce some sort of a result. Consequently, men in using appliances which fall far short of the best orthodontic principles have been able to accomplish results, but the appliance has been very lacking in efficiency from a physiologic and mechanical standpoint. In comparing efficiency of regulating appliances, we may say that you are able to travel over the country in a large automobile freight truck and you would eventually complete your journey, but you would be able to travel much more rapidly and with much more comfort in a touring car, and for that purpose the touring car would be considered more efficient for traveling. The automobile truck might have an efficiency for another purpose but not as a pleasure car.

Related to efficiency, which is foremost among the requirements of regulating appliances, I can not help but believe that the stability of attachment or anchorage plays a great part and is a certain factor in efficiency. An appliance may be very nicely constructed and possess wonderful mechanical principles, but if we do not have stability of attachment either to the anchor tooth or the malposed tooth, we necessarily are going to get an unsatisfactory result.

In considering the question of the principles of appliances, anchorage may be defined as a resistance to overcome an applied force. We must also remember that action and reaction are equal, and consequently our anchorage must be sufficient to absorb the force that is going to be applied to the malposed tooth, unless we use reciprocal anchorage, in which case the action and reaction are both equalized by selecting a malposed tooth as the point of resistance. I believe that anchorage is one of the more important things in the efficiency of regulating appliances, and is something which should be considered separately from the regulating appliance during the planning of the treatment. One of the first things to be considered is the point of resistance, and an ideal appliance is one that is so constructed that special attention is given to resistance, which is increased by mechanical principles and plans.

In a great many instances it will be desired to construct an appliance so as to stabilize anchorage and in reality have a portion of the appliance concerned in anchorage separate and distinct from the moving part. Several years ago Barnes of Cleveland called attention to the fact that in using the labial alignment wire, commonly known as the expansion arch, there was a great tendency to displace the molars distally and buccally. It seems to me that the majority of orthodontists practicing at that time did not pay enough attention to Barnes' contention, for a number of results show that men were moving molars distally and buccally by displacing their anchorage. The reason for this is that the nat-

ural tendency of the labial alignment wire when used to expand the arch and at the same time move the incisors forward is to exert a distal and buccal force on the anchor tooth. By using the ordinary molar clamp band or single attachment upon the molars, there is no provision made to prevent this distal and buccal movement except the supporting tissue.

Now, as an example, the efficiency of such an appliance can be greatly increased and the anchorage stabilized if the molar on the right and left sides was attached to a lingual wire, which lingual wire would not be used to move the molar, but simply be used for stabilizing the molar anchorage. This lingual wire could also be so constructed and used as to produce the molar expansion, and the expansion of the molar could be under the influence of the lingual wire and in no way be affected by the labial alignment wire, which is producing the movement of the rest of the malposed teeth. As a result of this, I believe that one good principle of regulating appliances is to have a separate attachment upon the anchor teeth, whereby one can control them independently of the rest of the malposed teeth.

It may further be said that any regulating appliance will be increased in efficiency as it is constructed so as to allow individual tooth movement or individual adjustment. In the last few years attempts have been made by certain men to introduce appliances which could be adjusted at one time and which would move the teeth to the proper position without further adjustment. Appliances have also been introduced which have been made out of small gauge wires for the purpose of exerting pressure upon all the teeth at the same time and moving all of them into the line of occlusion. We recognize the desirability of moving all of the teeth at once, but we also are forced to recognize the mechanical principle that with a bent, curved or looped wire, fitting into brackets or attached in tubes, it becomes practically impossible to exert force on one malposed tooth without changing the relation to the approximating tooth.

As a principle in the construction of regulating appliances I would, therefore, say that an appliance should be so constructed that each individual tooth could be adjusted without destroying or changing the force on the approximating tooth. This factor is one thing which has made the use of the alignment wire with ligatures such a universal appliance. If we had a 16-gauge wire with a properly constructed anchorage and ligatures, by tightening one ligature on the alignment wire we would disturb the approximating teeth very little, provided the alignment wire is heavy enough to absorb the force from the tightened ligature.

In other words, an appliance should be so constructed as to have firm anchorage. Then there should be a base wire or part to that appliance from which the force for the individual teeth is obtained. As an example of this, one of the beautiful mechanical principles of the Jackson removable appliance is the construction of the appliance in such a manner that groups of teeth serve as anchor teeth, thereby greatly increasing the resistance over single teeth. Secondly, the appliance consists of a base wire from which the various forces are originated. These various forces are produced by means of individual finger springs which work on individual teeth and on such teeth as need to move in a

certain particular direction. In adjusting these appliances to exert increased force, the finger springs can be adjusted to exert pressure on a single tooth or group of teeth, and without disturbing the base wire. Therefore, no undue stress has been brought to bear on the anchor teeth as the result of changing the entire appliance; neither has one group of teeth been disturbed by adjusting or increasing the pressure on another single tooth.

I would, therefore, say that as a general rule regulating appliances should possess three distinct mechanical parts or plans: First, some means of procuring the anchorage, then having that anchorage under absolute control. Second, the construction of a base wire from which the force is exerted and, third, some sort of attachment to that base wire to exert the pressure on the malposed teeth. These are three things which must be considered, and if it is possible to obtain these three things in a simply constructed appliance, so much the better; but if the malocclusion is very extreme it will be necessary to greatly change the appliances from what has been used in times past in order to follow out these principles.

It is possible to follow out these principles with a removable regulating appliance, and the same thing can be obtained with fixed appliances. An example of fixed appliances which control the anchorage and which furnish a base from which the force is applied to the malposed teeth, and which furnish individual tooth attachment is such an appliance as was advocated by Lourie at our last meeting; namely, by using plain bands upon the molars, a lingual alignment wire soldered to those molars we are able to utilize that lingual wire for the purpose of controlling the molar anchorage, and also by proper manipulation can move those molars in various directions. Now this lingual wire will control the molars absolutely and should be utilized in a number of cases for no other purpose. However, with the proper construction of the lingual alignment wire it will not only be possible to use wire to control the molars, but it will also be possible to make various tooth movements in the other parts of the mouth.

As a means of exerting pressure from the lingual alignment wire upon individual groups of teeth, the finger spring as used by Dr. Mershon, is good. The use of the finger springs upon lingual alignment wires affords a means of exerting force upon malposed teeth by using the lingual wire as the base wire, which can also be used as a means of stabilizing the molars. In using the finger springs upon lingual wires, following out our mechanical principle, the finger springs should necessarily be of a smaller gauge than the alignment wire, so the lingual alignment wire will be capable of absorbing all the force from the finger springs and not be distorted and therefore exert pressure on teeth when that pressure is not desired.

I have called attention to the fact that as a principle of regulating appliances is the stabilizing of the anchorage, that the lingual alignment wire can be used to stabilize the molars and used for that purpose only. Then as a means of exerting pressure upon the malposed teeth, I would recommend the use of the labial alignment wire, and for reasons of inconspicuousness would say that the labial alignment wire should be placed high, or gingivally, out of sight, as shown by Doctor Lourie in his paper at Excelsior Springs. Now this labial alignment

wire becomes the base wire on which force is exerted, and the force to the individual malposed teeth is again exerted by means of finger springs in whichever direction it is desired. Now in order that individual force can be exerted by means of finger springs upon individual teeth, the finger springs are made of material, say 24 or 26 gauge, while the labial alignment wire is made of material 17 or 18 gauge. This difference in gauge between the size of the labial alignment wire and the finger spring makes such an appliance that pressure can be brought to bear upon individual teeth, and this pressure will be absorbed by the larger labial wire. The resistance of the labial wire will be obtained from the anchor teeth, which have been stabilized by means of a lingual alignment wire.

In times past I believe appliances have been constructed in which too little attention has been paid to the anchorage. An appliance should be so constructed that pressure can be exerted on malposed teeth without disturbing or changing the anchor teeth. This can only be done when one has the anchor teeth stabilized, or has some means of absolutely controlling the teeth to which the attachment is made.

Another principle which I wish to mention is that no regulating appliance should be so constructed as to be universal for various cases. Advertisements have appeared and articles have appeared as scientific papers, in which men advocated the use of one style of appliance for every type of malocclusion. Advertisements have also stated that if this appliance is placed on the teeth it will do the work. Such things are very misleading, and any appliance which carries out the idea or information that malocclusion can be corrected by a single adjustment is a very good appliance to let alone. We must remember that a regulating appliance exerts pressure on malposed teeth for the purpose of creating cell activity, which therefore means that we are dealing with physiologic tissue, and this tissue will not respond the same in different individuals, even though the malocclusions are of a similar type. Also, any regulating appliance which exerts enough pressure on a malposed tooth in the beginning of the case to carry this case to completion is a dangerous thing to use.

Another feature or principle of appliances is that the appliance should exert force on the tooth so as to move the tooth physiologically. Any tooth which is being moved physiologically will be moved painlessly. As a result of this it becomes necessary that any appliance that exerts pressure on a tooth must do so without producing pain. Pain is absolutely unessential and unnecessary. It is to be avoided and can be avoided by the proper construction and use of the appliance so as to exert the proper amount of force. Pain is always an indication of faulty technic, which may be caused by improperly constructed bands, or the improper application of force, and any appliance which does not move teeth without pain is not moving them physiologically.

In closing, I will say that if we consider appliances from the standpoint of the definition and what they are to do, and remember that we have certain mechanical laws which must be observed, a large number of appliances will constantly be cast into the discard because they fail to come up to these mechanical principles.

DISCUSSION

Dr. William G. Law, New York City.—I have not very much to say after the discussion yesterday and the principles of appliances having been so clearly stated in Doctor Dewey's paper.

There are a few small points which to me are exceedingly important which accompany the ideas presented concerning the underlying principles of regulating appliances, and while efficiency of course is the main thing to be considered in all work we undertake for our patients, efficiency is a very big word. Beauty lies in the eyes of the beholder, and it has always seemed to me that the appliances which we should use should first be made as beautiful as possible and as inconspicuous as possible. It has been my experience that patients do not like the looks of any kind of appliance, and the first thing we should decide in selecting either a metal or alloy appliance is, which is the least conspicuous. The formation of the bands which are used on the anterior teeth should be of a form that lends beauty, and the appliance which covers the labial surfaces of the teeth, if one is used, should be made so close to the teeth and so small that it does not interfere with the movements of the cheeks and lips. Dr. Rogers has brought this out in his paper showing the necessity of allowing the teeth and lips to have free movement. On the inside of the mouth this is quite true of the tongue, and the smaller the appliance, in my experience, and the closer it lies to the gingival margins, the more the tongue can have free movement and free function. The smaller the appliance used in every case consistent with the strength of the wire, the nicer the result. Naturally we must think of a wire that has a character, that will not lose its force in the action we undertake. We fortunately have today wires which we can use in the small gauge and band material which can be used in a thin gauge that answers every purpose much better than thick bands or large wires.

As to the question of cleanliness in the mouth, where an appliance is left in the mouth for a considerable length of time and one can not see the patient often, the appliance should be constructed in a way that the patient can keep the teeth comparatively clean. Unless this is done, we have the chance of having disagreeable results, and what is the use of regulating teeth and putting the mouth and face in harmony if the teeth go to pieces under our appliance? So not only should the appliance be constructed from the standpoint of efficient work, but it should be beautiful and it should be cleanly. I believe all of these points can be brought into every appliance for every case that we treat, whether the patient is three or sixty years old! Older patients' teeth move apparently as easily as younger patients' teeth. It takes a longer time to accomplish a great many of our movements. The teeth move. The muscles themselves move, if not counterbalanced by other muscles. We move the teeth in any direction, the muscles pull or press upon the teeth. That is shown in a great many cases where there has been loss of the tongue or loss of bony tissue of the part or where abscesses have occurred or injuries have occurred on the face in the neighborhood of the jaw, where the muscles have contracted and drawn the bony structures and teeth with them all out of position.

Dr. Rogers showed how the muscles through proper and normal occlusion develop the jaws and develop the face without the aid of any appliance; and others with the aid of small, gentle, coaxing appliance, with the aid of the muscles, have shown that results are in proportion to what we knew some years ago, very gratifying!

The door is opening, it seems to me, in orthodontia, so that we can see clearly into the future; that we have a field and the opportunity in the future to do work with the smallest amount of discomfort to our little patients. We can work on younger patients than we thought before. We can do these things with smaller appliances, seeing the patients less often, and with less discomfort and a much more comfortable sensation in the mouth for these little patients than we ever thought before, and the principle underlying all appliances, underlying all efficiency, should be the absolute control of every tooth that the appliance touches, whether it is a molar, or whether it is a tooth to be moved, aside from the molar.

I believe that the large bands which have been used to attach a labial appliance to the molars by screws and tubes are disappearing, and that is to me a great advantage in cheek freedom. Even if we are compelled at times, as we are and always will be, to use a labial arch of small gauge, we can use a small tube, one that lies close to the molar band and will not interfere with cheek movement, and will produce absolutely no discomfort to the patient. It will be nearly the same as though no labial appliance was present. The larger the labial appliance, the more discomfort the patient experiences, and the less

labial appliances we are compelled to use, the more comfort the patient will have. I believe we will succeed in the future in controlling and correcting all of our malocclusions with lingual appliances, and then the ideal will nearly have been reached, and the amount of control in the corrective work that is necessary from labial appliances will be so small and so inconspicuous that there will be no disadvantage in having to use them, and they can be used in a sort of removable appliance which will not have to be worn all the time and can be removed as we direct for cleanliness and also for the esthetic appearance.

Dr. Ray D. Robinson, Los Angeles, California.—I have a case to show at this meeting, and I believe it would be quite apropos to put the slides on at this time in answer to Dr. Dewey's criticisms which were leveled at the appliance with which the case was corrected and which I showed the society some years ago, and if I may have your

permission, Mr. President, I will show the case at this time.

Dr. Dewey made some statements to which I must take exception. He said that "if the force is sufficient to move a tooth the full distance which it must travel, it is too severe in the beginning." I grant Dr. Dewey it may be so with the appliance or appliances he uses, but it is not so with the small appliances. It is possible to use an appliance made of .020 wire which will move a tooth over a great distance without at any time exerting more than a fraction of an ounce of pressure. That is the basic principle of the little wire. It can be so adjusted that it will continue its slight pressure for a long time and over a longer distance in space. I hope that point will be taken home.

I hope you will understand exactly what I mean when I say that.

Another statement to which I wish to take exception, which was made by Dr. Dewey. His statement was: "that all types of cases can not be handled with the same type of appliance." Maybe he can not do it, but I attempt it at least. I have used nothing but the .020 wire for a number of years. Another thing I wish to say to you is this, that Dr. Dewey is quite unfair when he refers to the multiplicity of loops and twisting of the wire. Dr. Dewey is very well informed that such has not been the use of my appliance for more than two years; Dr. Dewey has been informed on that point for nearly that length of time. I will remind him that Dr. Sweet showed him some models with this appliance on, in Dr. Beaser's office, and he talked with Dr. Sweet for more than an honr and Dr. Sweet told him I had given up the loop and the appliance was put entirely inside. I also brought that out in the paper I read last year, yet Dr. Dewey in his book, which was published long after his talk with Dr. Sweet, speaks of the labial appliance with a multiplicity of loops. In fact the part of his book having to do with my appliance is almost an exact reprint of a paper read and published in 1915.

In view of the fact that I have admitted before this body and other societies, that the appliance as shown at the Toronto meeting was faulty and that the anchorages were not as stable as could be desired and in view of the fact that Dr. Dewey had full knowledge of these things it is unfair of him to come here and criticize that appliance as advocated four years ago, and to publish in his textbook, as my appliance, a form of

appliance which he knows is obsolete and has been abandoned.

The case I wish to present in answer to Dr. Dewey is shown in Fig. 1.

I believe that we all have cases come to our attention in which the amount of tooth movement necessary to establish normal occlusion is so great that we are in doubt as to the advisability of undertaking the correction, I must plead guilty to hesitancy in many cases, and this was one that caused me to hesitate. The amount of work necessary and the age of the patient, and the chance of a successful issue were all unfavorable and I at first refused the case. The parents however were insistent and, as I was anxious to try the small wire on a case requiring radical tooth movement, I undertook the work. This was done, however, with full understanding on the part of the patient and her parents that it was to be an experiment with a new type of appliance.

I think you will agree with me that in such a case as this there can be hope of but little posterior movement of the mandible, and that practically all of the movement must be a movement anteriorly of the maxillary teeth. If you will observe you will see that to accomplish such a movement it would be necessary to move the maxillary incisors and cuspids into a position where they would be entirely outside the alveolar process by as

much as half an inch. Yet that is exactly what was undertaken.

The lingual arch was adjusted in the upper and a full year was used to accomplish the required expansion. After this bands were adjusted on the upper right cuspid and central and a short wire with a loop was placed between them to secure their separation for




Fig. 1.




Fig. 2.



Fig. 3.




Fig. 4.







Fig. 5.

the accommodation of the lateral. After this space was wide enough an arch was placed on the labial side of the cuspids and incisors in such a way that it would exert pressure labially on the apices of their roots and at the same time a loop was dropped lingually to engage the right lateral and exert pressure to bring it into its proper position. After it was nearly into such relative position the intermaxillary rubbers were applied, as in all cases of mesial occlusion, and the correction was finally completed in a little more than four years after it was first undertaken. Figs. 2, 3 and 4 will show what was accomplished. The right maxillary lateral was moved more than three-fourths of an inch. All of the incisors and cuspids were moved into a position which at first was outside the line of the alveolar process, and an occlusion was established. Whether the occlusion is normal or not is for you to judge.

I feel that you are asking what the condition of the teeth is at present, whether they have any bony support, whether they are vital, and other similar questions, and you have the right to ask such questions. A look at Fig. 5, which was taken just before I left Los Angeles, will, I think, answer your questions. If not I will say that the teeth are

as solid as when I first saw the patient.

Now, gentlemen, if the .020 wire will do that, why use larger wire? It has done it, and there are men here who have been in my office and have seen the appliance working in the mouth. Your president is one of them. When the .020 wire does these things, I

say why use the larger ones? I just want to leave that question with you.

Dr. Ralph Waldron.—I would like to ask Dr. Robinson if any magazine has ever published an article with illustrations on this appliance he speaks of which is applied on the lingual and not on the facial surfaces of the teeth. I follow the dental literature very closely and do not recall seeing such an article other than the paper he read before this Society at Excelsior Springs, Missouri, last year, and that paper was not illustrated, nor the technic described. It was a paper entitled, "Further Experience with the .020 Arch Wire." His paper was a plea for the use of lighter arches and was very timely, but it does not refer to a lingual arch, nor does the discussion of this paper have any such reference.

I assure you I supposed Dr. Robinson's work was all done with the arch he showed us at Toronto, except with modified seats and blocks, and less exaggerated loops, and I can imagine Dr. Dewey was of the same opinion as myself. Therefore I think (putting it mildly), Dr. Robinson has been a little severe in his discussion of this paper, as far as his assertion of Dr. Dewey being unfair.

Dr. Robinson has shown us a most remarkable case, and deserves a great deal of credit, for he has obtained a most satisfactory result, but I would like to see the appliance and learn his technic, and I hope he will give us a paper in the near future

showing his modus operandi more in detail than he has in this discussion.

Dr. Allen H. Suggett, San Francisco, Califorina.—After seeing Dr. Robinson's appliance and his method of using it, I began two or three years ago to use the small wire, and I experimented cautiously with it for some time, and at first I was as gingerly about using it as we were a few years ago in coming down to the .030 wire that Dr. Angle recommended with his tubes and pin. I thought it was so small that it would not expand the arch, and Dr. Young gave a clinic and explained this wonderful little wire that would move a tooth. As we were all from Missouri, we had to be shown. Every one doubted that a tooth could be moved or an arch expanded with so small a wire after we had been using 16 gauge. When Dr. Robinson came to my office and gave a clinic on using .022 wire it seemed so slight that it seemed trivial; it seemed almost nonsensical that one could move a tooth with it. In using it as we used the old Angle wire, where we had a multiplicity of bands on centrals, laterals and cuspids, we had much more force than in the .030 wire, because with the small loops we could have a larger movement of the wire. It could be bent in to the tubes so that by the time expansion was had one would have movement twice or three times the width that could be made with the shorter wire. Dr. Young, at the time he gave his clinic, said one could expand that the thickness of the material in the tube, which is so small that, it seems to me, it would take a thousand movements to move a tooth in a case like that shown. With the smaller wire one can move it without any particular measurement, and as it is sprung into place there will be some bow in the wire and the wire will come down to the smaller circle, but the expansion will carry on the case for a long time. In the movement of the contiguous teeth we had a much larger amount of spring going on than we could get in the .030 wire. Dr. Robinson went us one better than that. He began to use .020 wire instead of

.022 wire. I have been using that on practically all cases since, and we finally came down to the multiplicity of bands on the molars and cuspids with the lingual wire connecting to take care of the bicuspids, but gradually we have been drifting down to the use of fewer bands

In the last year or so, I think there has been a general drift towards the lingual wire, and we find there we have a great deal more strength in the small wire because of the shorter distance inside the arch than outside. We find that small wire will do the work and do it so comfortably and so easily that we are getting away from the use of ligatures because it is much easier to take care of the teeth, and I find that as we learn how to use the wire and follow the directions Dr. Robinson gave us, to let it alone and stop tinkering with it, we get much better results. His instruction was given to let it alone for a month or two, and then we would get along much better, and we will get the expansion and get it comfortably.

When I first began a case with 16 gauge wire I lost control of the anchorage in the first years of practice. We soon found out how much we could abuse our anchorage. Very few have trouble with anchorage now.

So far as using the small wire is concerned, when it is bent in it will be crowding the opposite direction in the molars from the direction desired. If we brought pressure on the bicuspids, we would tuck in the molars, that is due to excessive pressure. We get it in the same way with the larger arch. When heavy pressure is put on the bicuspids with ligature, the molars are pulled in just the same. It is a matter of degree, and we soon learn to handle that. As we perfect this in the lingual wire, as Dr. Law just said, we will get away with all the unclean conditions we have with the older appliances and get rid of the buccal tubes and large wire which is so hard to handle, and also ligatures which are so unclean.

Dr. F. C. Rodgers, St. Louis, Missouri.—The question has often occurred to my mind as to how far it is possible to move a tooth bodily. What is the maximum distance a tooth may be moved bodily with safety?

About two years ago I received a patient in my office in whom there was a malposition of a canine tooth. It had malerupted opposite the buccal surface of an upper molar. The tip of the canine protruded beyond the gum tissue just opposite the mesiobuccal cusp. The root or body of the canine extended distally, so that the apex of the root was opposite the distal right molar. The problem which presented itself to my mind was this: In order to move that canine into its proper position, it had to be moved bodily across the mesio-buccal root and over the surface of the two premolars. I was unable to decide whether such a movement was possible to accomplish. I inquired of several men who had been in practice a good many years, and the replies I received were not very encouraging. However, I attempted the case and up to the present time it is not yet completed, but I have succeeded in bringing the canine into its proper alignment, into proper occlusion, past the premolars. I have a series of models showing the case from its beginning up to the present time. I am retaining it now in its proper position. There is no further stress of movement at the present time and I am holding it and allowing nature to reestablish normal conditions around the roots of the tooth. With the society's permission, I would like to show these models at the clinic tomorrow, although I am not down on the program for a clinic.

Doctor Robinson.—I would like to have Dr. Rodgers describe the appliance he used to do this, inasmuch as this is a discussion on appliances.

Dr. Rodgers.—I did not use any one type of appliance. I used a combination or modification. I first started movement of the tooth out of the alveolar process and its impacted position in the molar region with a Jackson appliance. I made the Jackson lingual appliance with the loop wire extending distally to the second molar, that is, curved around the second molar from the labial to the buccal with the loop, the end of the loop wire being raised against the surface of the canine. That gave pressure from distal to mesial. It was impossible to put any attachment up to the canine in the position it was in, so that this wire penetrated through the gum tissue through its own force, and rested against that tooth, and in three month's time I noticed considerable movement mesially, although it did not move bodily. So I made various changes in the loop of the Jackson appliance until I got bodily movement sufficient mesially, so that the crown portion of the canine tooth was passed beyond the gum tissue. After that I made a band attachment fitted to the canine crown portion, then with the Case system of extending gum expansion from the band and the lower extension to the tip of the canine crown, I got

reciprocal movement, moving the canine bodily with the gum attachment and holding the crown portion in its position until I got upright movement of the canine. By that time it was opposite the first premolar. I could continue then with this sort of appliance, making various modifications because complications had set in at the time. The canine had entirely passed beyond to the alveolar process and was only held in position by gum tissue. As a result it was very loose and had to be handled very delicately, and it was quite painful at that time on account of pronounced pressure of the cheek and buccinator muscles.

A Member.-What about the vitality of the pulp?

Dr. Rodgers.—That I do not know. I have not been able to find out. I have made tests and I am inclined to think the pulp is alive. The gum tissue surrounding it gives me a false response. There has been no unusual pain experienced on part of the patient. I am anxious to know the condition of the pulp. I have the crown portion protected by this arch, and I am not able to get the response from the muscles I want to get.

A Member.-Have you tried the x-ray?

Dr. Rodgers .- Not yet.

A Member.-Did you try the faradic current on it?

Dr. Rodgers.—Not yet. I have not been able to contact the crown of the tooth with the faradic current. I tried thermal changes, but the response may be due to the natural soreness of the tooth or it may be due to the pulp. I am sorry I can not give you a definite statement as to the condition of the pulp at the present time. I am anxious to know what became of the tissue in the blood vessel in connection with moving the tooth so great a distance.

A Member.-What is the age of the patient?

Dr. Rodgers.—She is a young lady fourteen years of age. On the opposite side we had an impacted tooth, and with that the question of proper alignment came up.

A Member.—What is the condition of stability of the tooth at the present time?

Dr. Rodgers.—At the present time it is not very firm. If I give nature a chance there may be a regenerative process and it will again become firm, but the stability of the tooth at the present time is not very firm. That is why I have a small .020 arch retaining it.

A Member.—Is the root of that tooth placed between the lateral and bicuspid

lingually?

Dr. Rodgers.—It is back of the tooth in protrusion buccally. There is beautiful alignment with the gum and rest of the roots of the teeth. There is a little inflammation of the gum tissue over the root portions, but that is what you might expect with such an extensive movement, but the gum tissue from the canine back to the molar is quite normal.

A Member.—Is the bone over the labial surface of the canine now?

Dr. Rodgers.—Nothing but gum tissue. If we let it alone for two or three months there may be regeneration, owing to the cementum and the conditions that are seemingly favorable.

Dr. Dewey (closing).—It seems to me, the gentleman from California (Dr. Robinson) misunderstood the title of my paper, which was "Some of the Principles of Regulating Appliances," and not a consideration of appliances. However, owing to the fact that some of the members have been inclined to bring up the question of appliances to illustrate their remarks and say something with regard to the principles of these things, I will take this occasion to say a few words along that line.

I did not criticize the use of the small wire, the .022 or .020 wire, but if you remember I made a plea for stabilization of the anchorage construction of the regulating appliances separate and distinct from anchorage, and I made the further plea for individual tooth control. Dr. Robinson seemed to think that my remarks were a criticism of his appliance where he used loops. There was no more criticism of his appliance where he used loops, or where he did not use loops, than any of the other appliances, whether it be a labial or lingual appliance. The question of loop in an appliance makes it impossible to have the direct application of force. Whenever you begin to straighten the loop in an appliance, just at that time your appliance may be out of alignment and you produce a change; you lose control, and if you use careful measurements with calipers you are still uncertain as to what force you are producing on the molars.

Now, I made a plea for individual tooth adjustment with finger springs, as was shown yesterday. The loop appliance was shown in one paper which I criticized just as much as the appliance used by Dr. Robinson. With the tube and pin appliance, when you open the loop you change the adjustment between one tooth and you change the approximating tooth. It is impossible to do otherwise. Then if you have a small

alignment wire, labial or lingual, .022 or .020 of an inch, with no other provision to control the molar anchorage, the minute you exert force on the malposed tooth you get force on the anchorage tooth. The fact that you have to use an attachment on the anterior part of the alignment wire to keep it in position is a plain admission of the fact that the thing is tipping. Whenever you tie the lingual alignment wire to the anterior tooth or put it on an anterior band to hold the lingual wire, you are tipping the molar, or the alignment wire is so flexible that it is slipping, and the minute it does that it loses the direction of the force that you gave the .020 alignment wire, lingual or labial. If you use it in accordance with the principle suggested and stabilize the molars, so that you can adjust the small gauge wire to the movements, you will not have reaction on the molars in the direction you do not want it.

The gentleman from San Francisco claimed that I advocated large alignment wires. I advocate alignment wires heavy enough to control the molar anchorage, and I contend that you can not control molar anchorage by the use of .020 alignment wire unless you use some measure for stabilizing anchorage. The minute you bend it in at one point it flexes out at some other point. If you can stabilize the anchorage in some way and use smaller wire, the better it is for you; and it may be small enough to be bent if you have the molar anchorage stabilized; that is all I contended for. My friend from Los Angeles stabilizes his anchorage, and Dr. Waldron stabilizes that anchorage for small gauge alignment wires which is the proper principle, for from there on, you can produce force on the tooth without disturbing the rest of them. The advantage of finger springs over loops in an appliance is when you attempt to straighten out the loops. It does not make any difference to me what style of loop of appliance you consider, it is a dangerous proposition if you try to get force in a straight line.

DEMOCRATIZING DENTISTRY*

By Allen Holman Suggett, D.D.S., San Francisco, Calif.

WHEN England called her first three million men to war, one million of them were rejected on account of their teeth. One million out of three—one-third. This meant that one-third of the English people were unfit—on account of their teeth. At any rate, that's the way England saw it.

England then awakened to a realization of the importance of dentistry.

England had to wake up, and so must Italy and France, all Europe, and the civilized world, including the United States, including the dentists of the United States; including even the American orthodontists.

The American dentist is the leading dentist in the world. Even efficient, self-sufficient Germany had, and still has, an American dentist for the Kaiser; for the Kaiser, the Junkers and the war lords. In all the great capitals, Americans are the dentists of the rich, the aristocratic, and also the scientifically informed. There is no doubt at all about our social and professional standing. We have made ourselves and our country the world leaders in science, art, and in the business of dentistry, and the leading American dentist is the orthodontist.

But this boast is uttered here in this presence, not to boost our pride (and our prices), but to recall very humbly to mind, the reason for our high eminence, and to add to our burden the full weight of the leader's responsibility.

The American orthodontist is the leading dentist in the world because he happens to be practicing and pioneering toward preventive dentistry; not because he is a great and good man, you understand, but because, almost by accident, he finds himself working in the direction in which the world seems to be moving. No matter, his obligation as a leader is, none the less, to lead; not merely to glory in and profiteer upon his chance, but deliberately to accept the leadership, make conscious to himself and to the world the end he is being driven toward and boldly and strategically to organize our very artful science into a socialized social service.

What is the end we and the world are being driven toward?

The idea that is being burned and bled into mankind in this fierce crisis is, that it is nations, not merely armies, that make war; that it is the people, the whole breed, not only fighting men and the favored few, that must be fit to survive—whether in war or in peace; and that hereafter preparedness will consist in the development of a general, all-round good condition of the race. In a word, we are being shot, shelled, gassed, taxed and scared not back, but forward, to the social point of view.

Two million Englishmen rejected for the front in France-the third of the

^{*}Read before the Eighteenth Meeting of the American Society of Orthodontists, Chicago, Ill., August 1-3, 1918.

English people unfit to fight, were equally unfit for the service to which they were sent back behind the lines. They were unfit mentally, physically, morally to fight, to work or to breed, this rejected third, and I can imagine, can't you, the condition of the two other thirds?

The English people are unfit, and the English people are typical.

We have in California a warden, James A. Johnston, who discovered that the "bad men" in his penitentiary, the troublesome prisoners, were practically all sufferers from bad teeth, bad eyes, bad other organs. They were unfit. He had their physical defects attended to, and his troubles with them were over. Most of the "bad" prisoners became "good." They were fit.

Some one spoke of it as "good work."

"Yes," said the warden, pointedly, "it is good work, but too late, too late!"

If it had been done in time, those prisoners might not have been there at all. That's what he meant, this wise warden; he was suggesting the scientific thought that maybe we imprison men and hang them for having a toothache or for not having glasses. He was suggesting that maybe the dentist, the oculist, and the physician may take the place of the warden, and of the policeman, and of the criminal judge, after the war.

And Dr. Ebersole, a truly leading dentist, has suggested how. He has suggested that we deal early with weak or sick children, instead of late with bad men and women.

You know his report upon the experiments conducted in the Cleveland public schools for the purpose of ascertaining the value of healthy conditions of the mouth. It shows that the United States, the leader in dentistry, is as "bad" as England. Ninety-seven and a half per cent of the public school children of this country have diseased or faulty mouths. That is nearly one hundred per cent, nearly three-thirds of our young people.

A series of experiments on twenty-seven children showed an average increase in working efficiency of 99.8 per cent, nearly 100 per cent again. How did he get this result? Easily: "The increase (of fitness) was due," says Ebersole, "to the correction of the faulty conditions of the mouth and the teaching of the correct care and use of the same."

Read the individual records in this report on those twenty-seven cases; remember that they represent millions (nearly 100 per cent) of our children; note well their physical, mental and moral condition before and after the treatment, and you will achieve for yourselves some sense of our opportunities as dentists to beat the hospitals, jails and asylums, and to contribute to the development of a people fit to fight. And, let me say, in passing, that a world of peoples perfectly prepared for war, would be not only prepared also for peace, but they would be too intelligent, too scientifically led, to have wars. For wars are merely bad cases of malocclusion due to determinable causes and therefore curable, whenever are ready, we scientific leaders to lead to the application to war and poverty, prostitution, vice and crime, of the methods of prevention used now, for example, by us orthodontists.

The Dental Committee of the Bridgeport Board of Health in the report of results of work done in the St. Vincent Orphan Asylum, gives another boost,

not to our pride, but to our sense of useful, optimistic obligation; to practice and to teach prevention.

Dr. Fones had prophylactic work done upon those orphans. Dental nurses cleaned the children's teeth and mouths thoroughly, twice a year for four years. Decay was decreased from 85 to 15 per cent. And the cost, gentlemen, was 80 cents a year a child.

The accompanying table of statistics which this report carries indicates that the mouth is the opening to other evils and to other reforms. I do not want to exaggerate the importance of one profession; but I want to emphasize the importance of the physician, the oculist, and the teacher, and all the servitors of democratic society, but the results of Dr. Fones' care for the mouths of those orphan children do, as a matter of scientific fact, indicate that, not only caries, but diphtheria, mumps, scarlet fever, pneumonia, measles, etc., diminished and finally disappeared from among those children under dental treatment.

	1907	1908	1909 Nov.	NOV. 1910 APR.	APR. 1911 APR.	APR. 1912 APR.	APR. 1913 APR.	APR. 1914 JAN.
	1908	1909	1910	1911	1912	1913	1914	1915
Diphtheria	6	2	1	0	0	0	1	0
Mumps,	8	3	10	4	0	0	0	0
Scarlet fever,	17	8	12	8	0	0	0	0
Pneumonia,	3	5	4	6	0	0	0	0
Measles,	24	50	40	25	0	0	6	0
Tonsillitis,	19	16	8	3	0	0	0	0
Whooping cough,	7	2	2	0	0	0	0	0
Chicken Pox,	15	17	10	6	0	0	0	0
Croup,	4	0	0	0	0	0	0	0
Tuberculosis of eye	3k				1	0	0	0
Tuberculosis of lungs		O'AND SERVICE		-	1	0	0	6
	103	103	87	52	2	0	7	6

*Work was started in November, 1910, and in April, 1911, the mouth of the last child had been put in order. Study the above table and note that for nearly four years the diseases of children have been practically eliminated. The six cases of measles occurring during 1913 were caused by a new child whose mouth was in a bad condition on entering, and the children infected were all in need of additional dental service. The one case of diphtheria was also from a new child with bad teeth.

Dr. Ebersole's results also show striking improvement in general health. These two experiments are leads for us leaders in our leading profession. We are busy upon repair work; we are busy and we are late, like the warden. Dr. Fones and Dr. Ebersole began early—upon children. Of course, they, too, are late. They, too, are repairing damage done. As a citizen, I have been led by my professional training in scientific methods, to see that we must as a nation go farther back; we must begin with the parents and we must correct not only the teeth, but the faulty, disease-bearing social and economic conditions, which depress the families of the American people. Upon that job, however, all the professions must meet and labor together with statesmen and with the people for a scientific treatment of all forms of malocclusion. But today, I am a dentist meeting with dentists at a convention of orthodontists—the leaders of a highly specialized profession. What can we, as leading specialists, lead to?

We can follow and we can thus lead dentists to follow the lead of Dr. Fones, Dr. Ebersole and others, toward the democratization of dentistry and

especially of preventive dentistry. We can support and promote other such investigations, spread some knowledge of the condition of the mouths of the people and of what the meaning is of foul mouths to the public mind, to public and private morals and to the physical strength of the American stock. We shall have to go on with our private practice, doing our belated repair work for the select few who can pay the price determined by a social condition in which the demand for dentists is well nigh universal, and the regular supply very, very limited. And we shall have to go on making our foolish war, I suppose, upon the quacks who are the natural products of the abnormal dental market. War, even the war of the dentists, will continue so long as the causes of war continue. And so the quack, the irregular grafting, painfully painless dentist will continue to maltreat the poor so long as ignorance and poverty exist. But we can see, with our scientific insight, that we can best fight the dental quack by making war upon ignorance and poverty. That is the great war, and our part of that great war is to labor steadily, out of office hours, back of the lines, to induce all cities, counties, states and nations to follow the lead of Bridgeport and Cleveland, Detroit and Buffalo, and the California penitentiaries.

I say cities, counties and states because, as a citizen again, but with a professional eye upon the deeper lying economic problem, I want to see all these problems of democracy solved democratically, by the people, not by philanthropists, not by charity. So I will suggest that along with our individual propaganda of dental knowledge and scientific methods, we urge on the tax-payer, provision for the training of dental nurses to be employed in nurseries, homes, schools and colleges, with dentists to supervise, correct and repair.

This is our special part, as citizen-dentists, in the general social task as I see it; and the experiences of England and of Europe and of the United States Army with soldiers' teeth, indicates that it is a great part. But as leaders, as strategists, we shall be fit and fine, if we remember always in all humility, that our part is only a part of the whole new vision which is breaking through the storm of this dark world war; care for the people, regard for the race, a sense of the need and of the desire for the improvement of the breed of man.

DISCUSSION

Dr. B. E. Lischer.—The very title of the paper to which we have just listened is suggestive of the future, a vision of the dentistry that is yet to be, and it implies that the practice of today is not all that is desirable. Indeed, if one were to formulate an equally terse phrase with similar regard for alliteration, one might speak of present day practice as "Dollar Dentistry."

But "underneath all now comes this word, turning the edges of the other words where they meet it. Politics, art, science, commerce, religion, customs and methods of daily life, the very outer shows and semblances of ordinary objects—

"The rose in the garden, the ax hanging behind the door in the outhouse-

"Their meanings must all now be absorbed and recast in this word or else fall off like dry husks before its disclosure.

"The politician turns round upon himself—like the scientist, he acknowledges his brain baffled by the problems; he reaches his hand for help to the hand of the People;

"The commercial man turns round—the firm ground gives way beneath his feet also; to give now seems better than to get—and what sort of trade motto is that?

"In all directions gulfs and yawning abysses,

"The ground of society cracking, the fire showing through,

"The old ties giving way beneath the strain, and the great pent heart heaving as though it would break—

"At the sound of the new word spoken—
"At the sound of the word Democracy."

Dr. Suggett has called our attention to a number of facts that are fundamental to the formulation of professional policy. The problems involved are very clear and may briefly be stated as follows:

1. Professional policy ought always to be in advance of legislation and should guide the wider applications of practice. Representative organizations, particularly national and state societies and institutions of learning should always regard assistance in this matter as a sacred obligation.

2. The dire need for the extension of dental service to all the people has been conclusively demonstrated. "We must search our hearts and confront our traditional optimism with the brutal facts of life as it is." We must universalize democracy.

"A few decades ago, we might have turned our backs contemptuously on such a thought. But an enlarged experience of the world and a recognition of imperfections in our own political and social life have made us more humble and thoughtful. We are beginning to realize that democracy has been more a faith than a reality."

3. Educational institutions must be expanded and made more truly representative, and organizations like our own must urge them to advance the status and increase the facilities

for the teaching of dental science.

"Institutions criticize themselves by their results, just as do machines, and blindness to the nature of these results can not be expected of rational beings whose happiness is bound up with them. So long as the conservative can not demonstrate that our institutions are perfect, he must expect this constant inspection of the social machinery. It would indeed be strange were it otherwise; the wonder is that, with such obviously faulty results, the amount of complaint has been so small. The reason for this relative paucity of complaint has, of course, been psychological. Very few individuals are able to separate themselves from the institutions of their day sufficiently to step back and watch their working. Such an act requires a certain degree of abstraction, a consciousness of institutions as human instruments which can be changed. Yet this objective, shrewdly critical attitude is becoming pretty general with the increase of education and the growth of democratic sentiment, and bids fair to spread to the masses who have until now been in society but not genuinely of it. The consequence of all this is the rise of a critical, experimental spirit which is not enamored of institutions but studies them in a scientific way and is little likely to be put off with choleric assertions that man has stumbled upon the best of possible organizations. Every feature of society must, from now on, defend itself before the bar of a reason steeped in facts and hopeful of improvements."

4. The reason why the masses do not now avail themselves of dental service is because the organization of our industrial society has been on an individualistic, *laissez faire* basis,

which tends more and more toward "wage serfdom," poverty and ignorance.

As long as we regard human labor as a commodity, and fail to consciously organize the constituent elements of our social and economic life, we must expect disorder, waste, antisocial competition and unmerited poverty; nor can we "hope to tap new energies which are now latent," or "make labor-saving devices really saving of labor," or "procure a fair degree of leisure for each individual," or "achieve a better distribution of human costs."

Thanks to the Reconstruction Program of the British Labor Party, we are now headed toward a new world. "It has electrified liberal America as the speeches of President Wilson have electrified liberal Europe. And if liberal Europe looks to Wilson today as a Moses, we in turn look to the British Labor Party's program as the Ten Commandments. Yet the strength of them is that they are not commandments, nor dogmas, nor final things, but a successful attempt to strike at the roots without attempting the impossible, and to be constructive without being trivial and merely ameliorative. It is that thing for which we have waited so long—a program practicable enough for today and tomorrow, yet radical enough to bring our ultimate destination within view."

"The four pillars of the house that the British Labor Party proposes to erect, resting upon the common foundation of democratic control of society in all its activities, may be termed:

"(a) The universal enforcement of the national minimum; (b) the democratic

control of industry; (c) the revolution in national finance; and (d) the surplus wealth for the common good.

"Is it a dream.

Nay but the lack of it the dream,

And failing it life's lore and wealth a dream,

And all the world a dream."

Dr. R. Ottolengui.—There are two lines in this paper to which I would respectfully take exception. All the rest of it I will merely endorse. The essayist says, "The American dentist is the leading dentist in the world, and the leading American dentist is a good orthodontist." This statement reminds me of the man who had married a second time. About two weeks after the honeymoon, he took his new wife out for a buggy ride, drove to the cemetery and visited the grave of his first wife. Looking down on the grave, he remarked, "She was the best woman in the world." Wife number two remarked gently, "Charles, you mean she was one of the best women in the world." "No, I mean she was the best woman in the world," and the "honey" part of the honeymoon ended right there.

I would now like to discuss briefly some of the examples as referred to by Dr. Suggett. He calls our attention to the experiment made in Cleveland and gives us some statistics in regard to that experiment. Let me say then, that if we are going to democratize orthodontia, we must not rely too much on that sort of experiment. Experiments should be carried on along lines as nearly parallel to the actual conditions as possible so that the results will be real and not imaginary. We had statistics in regard to the Cleveland experiment which were not literally correct. They were correct as applied to the 27 children, but omitted from that calculation was the fact that at the start there were some 80 or 90 children. Little by little these children dropped out or were left out and only 27 went through with the entire curriculum upon which these statistics were based.

For this reason a new experiment was tried, of which the essayist is apparently in ignorance. This was undertaken by the Second District Dental Society in Brooklyn. We considered the Cleveland experiment inadequate because we were going to talk to the municipal authorities about the effect the dental service would have upon the school system and upon the scholars. To prove anything it would be necessary to conduct an experiment in such a way as to appeal to the municipality as practical. Consequently, we abandoned the idea of inviting a number of dentists, especially skilled, or fitted, or inspired, or enthused, to do this work. Nor did we select a limited number of children who were anxious and willing to go through with the test and then base statistics on work done in that way.

We went to the Board of Health and said, "Here is a list of fifty dentists, located in all parts of the city of Brooklyn. Will you send two children to each of these dentists from any school you please, from a school which would be most convenient for the children? Will you keep their scholastic records before you send them and will you keep their scholastic records during the time of their attendance and will you give us the result after we have taken care of these children for six months?" We found out at once, when 100 children had been selected and told that they could have free dental service, that nevertheless they did not appear at the offices. We showed by this experiment not only the value of dentistry to those who would accept it, but the difficulty of applying it in schools under a system of this kind. By analysis we discovered one reason why these children did not come was because many of them could not afford the time or carfare. Then the dentists agreed not only to give services but to pay their carfare. In spite of this, however, we never did render service to 100 children any more than the Cleveland dentists did. However, we did serve 68 children and about half of these were reported by the orthodontists to have improved physically, mentally and scholastically. My own personal experience was peculiar, my office being in New York. The two children first referred to me failed to reach my office at the first appointment. I notified the board and two more children were allotted to me. Then on the following Saturday, four children arrived. As they were willing to come, however, I did the work. The point of interest to us is that out of the four sent to me, one had a pronounced Class III and one a pronounced Class II deformity. I thus immediately arrived at the relation between dentistry and orthodontia in school work. While it was possible for me to relieve the child from suffering in the Class III case by treating the decayed teeth, nothing that I could do as a dentist in six months would improve that child's mouth and as the child had a

very bad masticating arrangement, the filling of her teeth could hardly be expected to improve her physical condition. Most of the statistics that we have had are based on the examination of the mouths for caries. If a similar investigation were made in regard to metabolism, I believe that the magnitude of the orthodontic work required by children in the public schools would be something appalling and there would be the added difficulty of instituting proper prophylactic measures.

Another difficulty in democratizing either dentistry or orthodontia is the size of the community, especially in a large city like New York, where we have eight hundred and fifty thousand public school children. The children do not reside long enough in one locality to carry through the system of treatment, and the only solution to this problem

is compulsory dental service in an infirmary located in the school building.

This week we are to dedicate for the first time I believe in the history of the world a monument placed in a public park in memory of a dentist. I firmly believe and prophesy that a second monument will be placed and dedicated in memory of a dentist. After the Cleveland experiment had failed to satisfy hard-headed business men in other parts of the country that dentistry in public schools would be worth the cost, Dr. Fones undertook another experiment in Bridgeport. He trained a number of girls to do prophylactic work and then put them to work in the schools. The first year they gave him \$5,000 for this experiment. The second year they gave him \$10,000. The third year they gave him \$12,000. This year he asked for \$25,000 and they gave him \$35,000, proving in a practical way that they had become convinced. Dr. Fones will shortly be able to publish the result of five years of this kind of work and when these statistics are published, we will have a genuine foundation upon which to argue as to the advantage of democratizing dentistry.

Dr. S. P. Cameron.-I fully enjoyed listening to Dr. Suggett's paper and to Dr.

Lischer's discussion, and also to the statistics presented by Dr. Ottolengui.

About six years ago I was in the position of taking care of an institution in which there were two hundred children that came and went every year. At that time we were all enthusiastic over the fact that malocclusion was caused by adenoids and enlarged tonsils. In starting in to go over these boys and making an examination of them in the college, I saw boys with magnificent sets of teeth, sets of teeth as good as you ever saw in your life, and their tonsils would almost choke them. When I started to examine the younger children I found they had beautiful developing conditions. I looked for adenoids and I found them. But previous to the time of my going there to take care of these fifteen hundred children one man went there one day a week at 4 o'clock. He had one little room, with a chair, cabinet, and so forth. Today there are five people spending all their time in the care of these children. There was no one among the medical staff who was paying any attention to these children until 1911. Operations were performed for the removal of adenoids and tonsils by physicians. The second winter we were there, in the boys who were sent to the infirmary, we reduced their oral troubles thirty-three and one-third per cent, and the next year when the boys were sent to the infirmary, there was a decrease of fifty per cent. A bulletin was published showing the value of the work that was being They found, as Dr. Ottolengui has pointed out, that the standing of the boys in school from a mental standpoint had been increased very materially since their teeth had been cared for.

An interesting fact to me was that the ages of these boys ranged from six to ten. We got them at an average of eight.

I have found that in taking up the practice of orthodontia in these children most of my work is in the grammar school, the boys ranging in age from eleven to twelve or thirteen. I have treated but two cases since I have been there (and I have treated something like over three hundred cases) that ever went from the grammar school and got into the high school and graduated. The boys that go there and graduate are different types of boys. They are different in their development both mentally and physically and in every other way. I found when I started with these boys with irregularities of the teeth in the grammar school, before they got into the grammar school they would go back into the technical school. They never got into the high school. It is very important for us to bear in mind that orthodontia has something to do not only with the development of the child but with its whole economy.

Dr. Julius Hovestadt.—This subject is extremely interesting to me. About fourteen years ago I showed before the Massachusetts Dental Society the beneficial effects on children by the proper care of their teeth. I had then a record of eleven years work. Dr.

Burns and several other writers had given me credit for giving the first correct record of this work. When I started the work in an orphan asylum I found there were fifty-five patients from the age of two to sixteen or seventeen years. There was a great deal of trouble among the inmates. There were diseases of all kinds. The home was never free from some form of disease of one kind or another, and many times they had some very serious contagious diseases, and it took us just about four years to wipe that out completely. My record, which was published in the *Dental Cosmos* in May or June, 1904, shows that the expenses for the home for medicine and medical services were reduced to something like three dollars and four dollars a year, whereas, these expenses in previous years ran up to one hundred dollars, and contagious diseases have been entirely wiped out. I think that was a remarkable record. I did not know what I was doing at that time; I had no idea that I had obtained such results till one day the superintendent, when I asked for the records, showed me these figures.

I really think that we can believe the report presented by Dr. Suggett. and that these things are possible because they have been proved by many other men besides him.

Dr. George F. Burke.—I regret very much to hear Dr. Ottolengui speak disparagingly of the mouth hygiene work done in Cleveland under the direction of Dr. W. G. Ebersole. I had the good fortune to be a visitor at the Marion School during the period his work was being done, and was very much impressed with what was being accomplished, though I am not in a position to support the accuracy of his findings, neither would I care to question his figures without being in possession of the facts.

The truth is that Ebersole was the first man in mouth hygiene to produce something tangible in regard to this subject, so as to impress those most interested in the value of clean, healthy mouths.

He focused the attention of both the dental and the medical profession, also the laity, on the mental and physical improvement made on the members of a class of school children, whose mouths were put in order and instructions given as to the proper chewing of food.

In his splendid volume, entitled "How to Live," edited by Irving Fisher, of Yale University, there is a chapter devoted to Ebersole's work in Cleveland, and it is a pleasure to find that due credit is given to those who so richly deserve it.

Dr. R. Ottolengui.—I rise to correct an erroneous impression which I seem to have made. I do not think the stenographer's notes will show that I criticized the Cleveland experiment at all. I was heartily in sympathy with Dr. Ebersole. I was friendly to the movement and approved of what he did. What I said was, and I say it again, that the experiment was not convincing because the manner in which it was conducted was not such as could be carried on practically in the schools thereafter. I did not say that the statistics were incorrect. They were absolutely correct so far as the twenty-seven children were concerned. Dr. Ebersole deserves credit for originating this experiment, but there was an error in it because of which the experiment failed to convince laymen and it was because of this fact that the Second District made their experiment. Had the Second District been the first to inaugurate the experiment, they would very likely have made mistakes also, but coming after the Cleveland effort, they were able to avoid the mistakes made there. But, of course, Dr. Fones' experiment is better than all because he actually does the work in the schools.

Dr. Suggett.—I am not surprised that children did not come to Dr. Ottolengui for charity service on their teeth. Children do not like dentistry and their parents do not like charity. Everybody detests charity, fortunately; it is not a solution of any problem.

But children go to school and they are there to be taught what they should know, one of the things that should be taught them, I hold, is the care of their teeth; as a scientific solution of the problem, not only of the teeth, but of other evils which develop out of bad teeth.

As to the effectiveness of the solution the cautious doctor warns us that the few experiments we have made are not enough to establish the optimistic conclusions which the experimenters and I have drawn. That is true. We have not made as many experiments as we should. That is my point. I want more such experiments started to make sure we are right; to establish scientifically our theory that expert, free instructions in the public schools in the practical care of the children's teeth will enable them to learn their lessons better and be more optimistic and capable and clearheaded than our generation. But I want to leave with you this argument for human cheerfulness, if not for scientific optimism; to wit, all the knowledge we have, and all our experimence, all our experimenters and all our experiments so far made, go to show that we are on the right track.

COMPROMISE TREATMENT*

By A. C. Gifford, D.D.S., Oshkosh, Wisc.

BOUT two years ago, I gave a paper before this society on the subject of "Compromise Treatment." Some of the most interesting cases under treatment at that time, have since been completed, and it might be of interest to you to know just what results have been accomplished.

I believe that compromise treatment should always be used conservatively. Not every case of missing teeth, either congenitally or by accident or disease, will profit by this method, and judgment and discretion are needed to determine just what cases can successfully undergo this form of treatment. Generally speaking, compromise treatment should be advocated only during the years of greatest bone development, especially if much destruction and building of bone is necessary.

Substitution for missing teeth has long been a source of study, but I will venture to say, that if the case is taken early enough, compromise treatment offers the most effective solution to the problem. In the case of missing teeth, congenitally or otherwise, the natural procedure would be to move the remaining teeth back to their normal positions, which would be absolutely correct from the standpoint of normal mesiodistal relation of the teeth, but what advantage is there in having the teeth in normal mesiodistal relation and supplying the missing tooth with one of porcelain, causing mutilation of the teeth on either side of the space and future trouble. What orthodontic treatment really means in cases of this sort, is, I think, not always a normal mesiodistal relation, but the conservation of sound, live tooth tissue. It is either a case of normal occlusion with artificial restoration, or a compromise occlusion without mutilation and artificial substitutes. By this form of treatment, missing teeth can be provided for, and give, it seems to me, as good and often a better appearance than any substitute that might be supplied in the space opened to the normal tooth size, and in many cases the operation would be simpler, provided the conditions were the same. In the case of a child, you can readily see that it would almost be out of the question to successfully place an artificial tooth in a space opened to the required size, for the pulps of the teeth are large as a rule and should we wish to make restoration for the missing one, the substitute must be so constructed that it will not endanger the life of the other teeth. Temporary replacement would be the only solution to the problem. By compromising, we can avoid this difficulty, and it is one reason why I am so strongly in favor of this treatment for missing teeth. It would not be so difficult to successfully replace a missing tooth with a substitute, if we could do it ourselves, for we know

^{*}Read before the meeting of the Alumni Society of the Dewey School of Orthodontia, Chicago, Ill., July 30-31, 1918.

†"Compromise Treatment, or Conservative Orthodontia," published in International Journal of Orthodontia, Vol. ii, No. 4, April, 1916, pp. 197-201.

what we want and what the results must eventually be so far as the physiologic tooth movement and occlusion are concerned. The general practitioner and crown and bridge man also have their ideas, and occasionally disagreements arise and we do not get exactly what we want. If, however, we are to follow some fixed rule, as has been the custom with a great many men in our specialty, we can, of course, resort only to the placing of some sort of artificial substitute.

The illustrations I showed at another meeting were of cases that had not progressed to the stage where you would have any inkling of what I consider a successful compromise. Some of these cases have since been completed and I shall show you in the accompanying illustrations, the results which have been accomplished.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.

Case 1.—This case (Figs. 1 and 2) has a lateral missing upon the left side, caused by an accident some three months before this model was made. Nature was trying to put the teeth in approximal contact and the space left by the tooth was closing. As the patient was only eleven years old, do you think it would have been good policy to have regained the space? The ideal conservation and compromise is shown in the next picture.

Case 2.—The next slide shows a congenitally missing lateral upon the right side (Fig. 3). The model shows the upper right posterior teeth just one cusp

mesial to the normal and the upper anterior teeth in labioversion. To have tried to place the molars in their normal mesiodistal relation would have required the moving of the right upper posterior teeth distally and that seemed to me unnecessary and an impractical way of treating the case especially as the lateral would have had to have been replaced. Fig. 4 will show the completed case. The canine has not made the very best lateral, but is it not better than a porcelain one? I am sure it will be more serviceable than any substitute that could have been used.

Case 3.—We have here a case of congenitally missing laterals on each side. The radiogram showed no teeth in process. (Fig. 5.) This was a hard case to treat as one may imagine, for I believe that the teeth should be moved singly




Fig. 5.



Fig. 6.

and bodily. The left canine being in torsoversion and having a very large root was especially obstinate to treatment. By carrying out my ideas I finally attained the results that are shown in Fig. 6. Some may not believe that this is the plan that should have been followed, but to the conservative mind it will not fall short of ideal results, for I know of no other treatment that would have produced any better.

Case 4.—In this case (Fig. 7) you will notice that the canines are missing. History gives us the extraction of these teeth when they came in labial to the rest of the teeth. The facial deformity can well be imagined. The young man was nineteen at the time of the application of the appliances, but before I had

finished the case he enlisted for service. The model in Fig. 8 was taken on the day before he left. In the treatment of this case, I proceeded as if it were a regular mesioclusal type. The results I was striving for are plainly shown in the second model of this case.

CASE 5.—Fig. 9 shows the second upper premolars missing on both sides.




Fig. 7.




Fig. 8.




Fig. 9-A.




Fig. 9-B.




Fig. 10.

At the time the first model was made, the patient was only ten years old and I decided that it would be most advantageous from all viewpoints, to move all of the upper teeth forward by intermaxillary elastics, rather than leave the first molars in their normal mesiodistal relation and open the space for the missing



Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.

teeth. Fig. 10 shows the teeth in approximal contact, but not in as good occlusion as they are at the present time. At the time the last model was made, the teeth had not developed fully and consequently the force of the inclined

planes had not had an opportunity to act. At the time I last saw the patient I noticed a great improvement over this model.

Case 6.—When the first molars have been lost by disease, if the patient is within the age of bone development, it behooves us to put the second molar in the place of the missing first molar (Fig. 11). It is so easy a matter to place the second molar in approximation with the second premolar in the treatment of cases that I see no reason for retaining the space. The second molar occludes very nicely in the place of the first molar, and when the third molar erupts, I believe it will be a better and a stronger tooth than it might otherwise have been. In fact, after a little while, I doubt very much whether the change will be noticed. This case needed considerable more treatment and Fig. 12 shows what has been accomplished.

Case 7.—The case that is now shown has a missing premolar upon the right side. The left upper teeth were all one cusp mesial to the normal. The right is also somewhat mesial, but not, in this particular case, the desired distance. The upper teeth on the left, from central to second molar, were moved distally into normal occlusion, after the third molar was extracted, and after the supernumerary was (x) moved, the right half of the upper teeth were moved mesial enough to put all of the teeth in approximal contact. This seems to me logical and I believe I have produced a nice set of teeth without mutilation or an artificial substitute (Fig. 14).

I have only illustrated the use of compromise treatment in the cases of missing teeth, but there are many other ways by which we can compromise and extract a tooth occasionally without any undesirable results esthetically or from the standpoint of mastication. As I said before, one must use discretion in the treatment of cases by this method. The fixed plan of normal occlusion does not always give the results we are striving for, and a little compromise very often relieves our responsibility.

DISCUSSION

Dr. Burt Abell, Tolcdo, Ohio.-I do not believe I can add anything of value to what Dr. Gifford has said. I think he has gone to a lot of trouble in some of these cases to get better occlusion than I would feel justified in doing. While we take the short way out of it on the older cases, on the younger cases, we do every bit of work that is needed to be done. I do not feel that anybody is justified in so arranging teeth that a patient has to wear what I call a crippled tooth in the mouth. No bridge, or substitute can possibly take the place of the natural teeth. We can bridge to get normal occlusion but why should we make an effort to get normal occlusion if we have not the material there with which to get it? We never can move these teeth into a compromised position-I say that advisedly-and have all of them absolutely occlude as well as they would in the occlusion that was intended by nature. But it is a great deal better to mismatch teeth (I do not know that I want to be quoted on that term) to put them into other positions rather than to put them in normal positions and supply the missing teeth artificially. I am very much in favor of orthodontic compromise treatment if there are missing teeth rather than to put them in their normal positions and have to supply teeth artificially to hold them there permanently.

Dr. William C. Fisher, New York City.—I have nothing to defend. I admit I am guilty. I am very glad indeed that Dr. Abell took the stand he has so decidedly. In the last two years I have been in close touch with Dr. Dewey on almost the same subject, and he goes to the point of sacrificing a good tooth in order to get a compromise, so that he won't have to put in artificial substitutes. If the x-ray shows that a bicuspid is lack-

ing, I will sacrifice the bicuspid in the opposing arch on this side rather than open it up and put in a substitute if the upper teeth are sound and good and the patient is young.

I have one case (I call it a very sad case) that taught me the greatest lesson I ever had in orthodontia, and it taught me the lesson that every man has to have sooner or later, namely, that I did not know very much about orthodontia. That case came to me after it had been in the hands of a specialist in orthodontia, a man who has practiced it exclusively. He had the case for over two years. He had used several appliances, and the last appliance was pin and tube. There was lacking in the lower jaw a bicuspid on each side of that arch. In the upper arch the full complement of teeth was present. They were all inclined to decay. The girl was not strong. She was about twelve years of age. I decided to use Dr. Ellis' appliance, which you may have seen published two years ago, and open the space. When I got the space opened and decided to put in a substitute, I could not bring myself to devitalize the teeth and place in two artificial substitutes for the girl to wear during the rest of her life, neither could I bring myself to construct anything removable with clamps. I then concluded I would go all over my case again by extracting the bicuspids in the upper jaw. Then I had to close in my space, and I assure you that it closed in quicker than I opened it, but I had to use force. At last, after working on the case for over two years I concluded I had secured as fine a result as was possible in a girl now nearly sixteen years of age, and she had been wearing the orthodontic appliance for five years with a slight interval in between. I said to her father, "It is my opinion this child has had all the orthodontia she should ever have; we have not secured a perfect condition, but the removal of these two bicuspids did more for the child in six months than the exclusive orthodontist and general practitioner did in five years.

DEPARTMENT OF ORAL SURGERY AND SURGICAL ORTHODONTIA

Under Editorial Supervision of

M. N. FEDERSPIEL, B.Sc., D.D.S., M.D., MILWAUKEE, WIS.

Professor of Oral Surgery in Marquette University

Clinical Observations Concerning Malignant Tumors of the Jaws. A. J. Ochsner. Annals of Surgery, 1918, lxviii, 136.

Ochsner reports his observation of 100 cases of malignant tumors of the upper and lower jaws from the standpoint of the clinician. The actual cautery was used in every case in a most vigorous manner. Two cases died from hemorrhage from the carotid artery where the tumor had extended into the neck. The oldest one of his cases operated upon by means of the cautery has lived 29 years since the operation and is still in excellent health.

Out of 100 cases, 67 per cent were carcinoma; 16 per cent epulis; 16 per cent sarcoma; and 1 per cent chondrosarcoma. The origin of these new growths was noted and in the cases of carcinoma and epulis the following distribution was found: 47 cases originated from the inferior maxilla; 6 from the antrum of Highmore; 25 from the superior maxilla; 3 from the cheek; 1 from the parotid gland and 1 from the palatine bone.

In the sarcomatous growths the examination showed that 8 cases originated in the superior maxilla; 4 in the inferior maxilla; 3 in the parotid gland; 1 in the soft palate; and 1 in the cheek.

Ochsner believes that the teeth are usually the cause of malignancy of the jaws. He holds that broken-down crowns and sharp projecting roots, together with faultily constructed bridges and crowns, affording a breeding place for bacteria, are predisposing factors.

The frequency of the occurrence of the malignant tumors in the male was found to be much lower than the percentage given by Blair; 72 of the cases occurred in the male, while 28 affected the female. The percentage for the female was considerably lower in the cases of carcinoma than in those of sarcoma and epulis. Of the 67 cases of carcinoma it was found that only 11 were female patients, while in the 33 cases of sarcoma and epulis 17 were female patients.

As to the duration of the condition before the admission of the patient into the hospital, the following facts were determined: 25 per cent entered before the third month; 25 per cent of the cases entered before the sixth month; 23 per cent before the second year; 27 per cent after the second year. In 65

per cent of the cases no statement was made with regard to lymph gland involvement. Of the remaining 35 cases, 25 showed enlarged glands.

The mortality following these operations was as follows: 3 per cent died during the first day following the operation; 4 per cent died before the fifth day; 5 per cent died before the twentieth day; 3 per cent died before the fortieth day; and 5 per cent died after the fortieth day. The total mortality of patients while in the hospital amounted to 20 per cent. All of these fatal cases, except two, were carcinomatous, the two exceptions being sarcomatous. It is interesting to note that in 40 per cent of these fatal cases, a previous incomplete operation or an excision of a piece of tissue for the diagnosis had been performed. In the balance of the cases injection of iodine or oil, application of plasters or acid, teeth extraction following the appearance of the lesion, or x-ray application had been carried out.

Of the 100 cases treated in this series, 15 returned with recurrences. Ten returned once, 1 returned twice; and 4 returned three times. The permanent results of this series of cases have not been determined.

Some Vital Phases of Fracture of the Jaws. C. J. Lyons, Journal American Medical Association, 1918, lxxi, 164.

Lyons calls attention to the fact that fractures of the jaws will differ from fractures in other parts of the body in that they are more liable to infection on account of the close proximity of the bacteria-laden fluids of the oral cavity.

He also calls attention in the consideration of infection in fractures of the jaws, to the presence of alveolar abscesses, which may be existing at the time of the fracture or may be superinduced at the time of the injury. This will greatly delay the process of repair and should be eradicated before repair can take place.

Another condition which will complicate healing of jaw fractures is infection of the antrum.

The treatment of fracture of the jaws consists of the fulfillment of three principal indications; (1) reduction of broken fragments; (2) retention of the parts in normal relation; (3) prevention or control of inflammatory processes.

DEPARTMENT OF DENTAL AND ORAL RADIOGRAPHY

Under the Editorial Supervision of

James David McCoy, D.D.S., Los Angeles-Robert H. Ivy, M.D., D.D.S., Milwaukee B. Frank Gray, D.D.S., San Francisco

It is the object of this department to publish each month original articles on dental and oral radiography. The editors earnestly request the cooperation of the profession and will gladly consider for publication papers on this subject of interest to the dental profession. Articles with illustrations especially solicited.

RADIUM IN THE TREATMENT OF SARCOMA AND CARCINOMA*

By G. H. SCIARONI, M.D., M.C.L., FRESNO, CALIF.

IN discussing radium for the treatment of cancers and sarcomas it will not Le be out of place to first give a brief history of this most wonderful element. Radium was discovered by Madam Curie while working out a master's degree in her husband's laboratory in 1898. A short time after the isolation of the element, a tube containing a small amount was given to Professor M. Henri Becquerel for experimental work. The tube was placed in his vest pocket to be removed a few hours later. At the time no inconvenience was noted but about two weeks later a burn which corresponded to the size of the tube appeared on the abdominal wall. This was the famous Becquerel burn and from that day to this when those unfamiliar with the action of radium hear of it they immediately think of a burn, and more than one unitiated pathologist has made the statement that radium cures by burning. Nothing can be farther from the actual fact. It is true that it liberates heat and will burn in the course of time, but a burn is easily avoided when the radium is properly applied. Unfortunately it is not as simple to handle as some other agents, and the technic of its application can only be learned by long and tedious study. The burns that are seen today following radium applications I believe to be due to overtreatment.

Radium is derived from uranium by atomic reduction and belongs to the strontium-barium group of the alkaline earths. When freshly prepared it looks somewhat like brown sugar except it is not crystalline and does not glisten. It has a characteristic spectrum, an atomic weight of 226 and loses a portion of its atom to become a gas called emanation. Pitchblende contains one part of radium to 3,000,000 parts of uranium.

^{*}Read before the San Joaquin Valley Dental Society, May, 1918.

There are a number of radioactive substances, fifteen in the radium group and eleven in the thorium group, any of which may be recognized by (1) their effects on sensitive photographic plates, (2) their ability to produce fluorescence, (3) their ability to ionize an air and, (4) their production of heat. From all of these substances there is an emission of rays, from which their therapeutic value is derived. These are classified according to their physical properties into alpha, beta, and gamma rays.

Of the three types, the alpha particles are the least penetrating, being completely stopped by a thin sheet of paper and not being detectable after passing through three inches of air. They are positively charged minute particles the size of atoms, the action of which we see in a spinthariscope, a screen of zinc sulphide in front of which there is a small fragment of radium, so small it can not be seen with the naked eye. From a gram of pure radium bromide it is estimated that twenty thousand million of these particles are expelled per second with a velocity of approximately one-tenth that of light.

The beta rays are negatively charged electrons, smaller than the alpha and travel with the velocity of 170,000 miles per second. Their penetrating power is therefore much greater than the alpha particles, it requiring a piece of lead two millimeters in thickness to intercept them. They will penetrate several centimeters of tissue.

The gamma rays are ether vibrations rather than particulate, as are the alpha and beta rays. They have a much shorter wave length than visible light and their penetrating power is extraordinary. Even the interposition of the human body does not intercept all of them. In the therapeutic application of the rays, because of these properties it is possible to use them all together or separate them, as may be desired.

For the purpose of application radium may be obtained in the form of varnish applicators or in small glass tubes further encased in brass, platinum or silver capsules. The latter prevents loss in case the glass tube is fractured. The rays pass from the tubes in radial lines, thus producing a sphere of radiation. The walls of the tube intercept the alpha rays and therefore only the beta and gamma rays are used in the treatment of disease; the dosage depending on the age of the patient, the nature and extent of the condition, the amount of radium to be used, the screening, etc. It is the ideal aim in the treatment of any condition to obtain the same intensity dosage at the point of greatest extension, as at a point nearest the radium.

The rays being given off from a point in every direction their intensity will vary inversely in proportion with the square of the distance. For example, a unit radiation may be obtained in one minute at a point one millimeter distant from the radium that it would take 625 minutes to obtain at twenty-five millimeters. When the rays strike a substance, the substance becomes the source of secondary rays which are similar to the primary beta rays emitted from the radium. It is the action of these rays that is usually responsible for the so-called radium burns, but fortunately by the interposition of rubber dam between the screen and the lesion such can be prevented.

Radium is said to be possessed of a selective destructive action and a general destructive action, and the common impression that it acts by burning

is erroneous. The selective destructive action is advocated because of the fact that a tumor is very often seen to disappear from beneath the skin, after the use of radium, without any apparent effect upon the normal tissues. As a matter of fact, there is a marked selective tendency in this direction and assuming that radiation has a deleterious effect upon all tissues this selective action may be explained in the following manner, which, to me, seems to be the most plausible theory concerning the effect of the rays on normal and pathologic tissue.

First, although the radium produces a certain deleterious effect on all living tissues, the fluids and protective agencies of the body are all constructed to



Fig. 1.



Fig. 2.

help the normal and though weakened the normal cells do not die. Second, the pathologic tissues are weakened to the same extent as the normal, but since the body fluids and normal protective agencies are not constructed in the aid of the up-keep of these pathologic cells they disappear. Another fact concerning the selective action of the rays and the body's resistance is that the tuberculous glandular involvements disappear under radiation, while tubercle bacilli growing in culture in the test tube are unaffected by its rays.

In explanation of the action of the rays in this manner, certain other facts well known to those familiar with the use of radium can be explained. First and foremost, the fact that under identical conditions as regards dosage and application, and identical conditions as regards the patient, we occasionally fail to get a result in one, while in the other the sensitiveness of the tumor is most remarkable. I have seen cases that were apparently absolutely hopeless whose

conditions yielded in a way that seems almost magical; however, in making this statement it is not desired that it shall be interpreted as a plea for very advanced cases.

It would seem that for a cure in malignant disease everything points to an early diagnosis and treatment; yet in the face of an absolute diagnosis of malignant disease, the patient will not always take the advice of the physician who recommends immediate attention, but will go shopping from doctor to doctor, just as we see shoppers go from one department store to another, until some quack guarantees them a cure without the use of a knife. The next time we see them they are in an advanced stage of malignancy with metastases to the neighboring glands and the inevitable end close at hand.

In Fig. 1 is a typical illustration of an extensive carcinoma in the cervicomandibular region. Fig. 2 is the same case thirty days after treatment.

SUMMARY

- 1. Radium is the most powerful destructive agent known for tumors.
- 2. It will reduce many inoperable carcinomas to operable conditions.
- 3. In the proper hands it will save many lives that would otherwise be hopeless.

The International Journal of Orthodontia

PUBLISHED THE FIFTEENTH OF EVERY MONTH BY

THE C. V. MOSBY Co., 801-807 Metropolitan Bldg., St. Louis, Mo.

Foreign Depots—Great Britain—Henry Kimpton, 263 High Holborn, London, W. C.; Australasia—Stirling & Co., 317 Collins Street, Modern Chambers, Melbourne; India—"Practical Medicine," Egerton Street, Delhi; Porto Rico—Pedro C. Timothee, Rafael Cordero 68, San Juan, P. R.

Subscription Rates—Single Copies, 30 cents. To anywhere in United States, Cuba, Porto Rico, Canal Zone, Mexico, Hawaii and Philippine Islands, \$3.00 per year in advance. Under foreign postage, \$3.40. English price: 15/ per annum, 1/6 per number. Volume begins with January and ends with December of each year.

Remittances—Remittances for subscriptions should be made by check, draft, postoffice or express money order, or registered letter payable to the publishers, The C. V. Mosby Company.

Contributions—The editor will be pleased to consider the publication of original communications of merit on orthodontic and allied subjects, which must be contributed solely to this journal.

Opinions—Neither the editor nor the publisher hold themselves responsible for the opinions of contributors, nor are they responsible for other than editorial statements.

Reprints—Since it is not desirable to hold type standing longer than absolutely necessary, all requests for reprints should be made at time of submitting manuscript for publication. Rate card will be sent with galley proof.

Communications—Contributed articles, illustrations, letters, books for review, and all other matter pertaining to the editorial department should be addressed to the Editor, Doctor Martin Dewey, 25 East Washington Street, Chicago, Ill. All communications in regard to advertising, subscriptions, change of address, etc., should be addressed to the publishers, The C. V. Mosby Company, 801-807 Metropolitan Building, St. Louis, Mo.

Illustrations—Such halftones and zinc etchings as in the judgment of the editor are necessary to illustrate articles will be furnished when photographs or drawings are supplied by the authors of said articles.

Advertisements—Objectionable advertisements will not be accepted for publication in this journal. Forms close first of month preceding date of issue. Advertising rates and sizes on application.

Change of Address—The publishers should be advised of change of subscriber's address about fifteen days before date of issue with both new and old addresses given.

Nonreceipt of Copies—Complaints tor nonreceipt of copies or requests for extra numbers must be received on or before the fifteenth of the month of publication; otherwise the supply is apt to be exhausted.

Entered at the Post Office at St. Louis, Mo., as Second-Class Matter.

EDITORIALS

Malocclusion and Mental Deficiency

DURING the last few years many articles have appeared dealing with the relation of malocclusion to mental deficiency. Several years ago a very prominent authority examined a number of patients who were mentally deficient, making some of his examinations among inmates of an insane asylum, and he reached the conclusion that malocclusion was very prevalent among people who were mentally abnormal. Similar investigations were carried on by another authority who not only confined his investigations to inmates of an asylum, but made examinations among children in public and private schools, as well as among patients in his own practice. He found that there was just as great a percentage of malocclusion among mentally normal patients as there was among the mentally deficient. The results of these investigations, as well as those obtained through researches carried on by other men, would seem to

indicate that the real truth of the matter lies somewhere between the two extremes.

The great trouble among those who wish to establish a relation between malocclusion and mental deficiencies seems to be that they fail to determine which is the cause and which is the effect. In a mentally defective child suffering from malocclusion, the malocclusion may have nothing to do with the mental debility; in other words, the malocclusion may be the result of a condition having nothing whatever to do with the development of the mind—a condition which may be present in a child who is growing normally. Many cases of malocclusion may be placed in this category.

It may be true that a majority of patients with impaired mentality have malocclusion, but the mental condition is not the effect of the malocclusion; there is an abnormal development in the entire system which not only produces the mental debility, but the malocclusion as well. In cases of this kind treatment of the malocclusion would in no way benefit the mentality of the individual, unless it would enable him to breathe better and masticate better, thereby improving the general physical development. Although the malocclusion has not been the cause of the mental deficiency, or the mental deficiency the cause of the malocclusion, there is a close relationship existing between them which we are forced to recognize. This is made evident by the fact that almost every child suffering from malocclusion shows mental improvement when the malocclusion is corrected. This is proved by the higher standing in school. They likewise show an increase in physical development. Because of the improvement in the grades at school during the treatment of the malocclusion, some men have attributed the mental improvement to the correction of the malocclusion. While it is true that the mentality has been bettered, it is also true that the physical development has been improved, and we are again confronted with the problem of proving whether the mental improvement is the direct result of expanding the dental arches and correcting the malocclusion, or whether it is a result of the improved physical condition. It may be possible that a better mastication and a better respiration play more of a part than is generally believed.

Some writers have advocated the theory that in extreme cases of malocclusion, especially those cases associated with a narrow upper arch, there is a lack of development at the base of the brain, causing pressure upon the pituitary gland and the nerves at the base of the brain, and consequently interfering with the proper function of the brain. Cases have been reported in which normal children with small arches have become insane, and some men have attributed the insanity to the narrow upper dental arch. It has been shown that nerve impaction and irritation caused by impacted teeth have produced nervous conditions which were relieved by the removal of the impaction. Impacted teeth may produce irritation great enough to cause mental deficiency, and it would also be reasonable to believe that crowded upper arches and bad cases of malocclusion would tend to produce abnormal mental conditions and probably insanity in some cases. A case of a child reported by Dr. Price a few years ago showed that the mental condition became greatly improved immediately following the expansion of the upper arch. During the period of retention the retaining appliance broke and allowed the upper arch to relapse; the mental deficiency of the child became as bad as it was before the expansion of the upper arch. Orthodontic treatment was again instituted and the mental condition of the child again improved. In this case it would seem that the narrow upper arch did exert some pressure upon the base of the brain, and through the expansion of the arch and the associated structures, the pressure was relieved and the mental condition of the child improved.

As a result of the various factors entering into the relation between malocclusion and mental deficiency, we are forced to believe that the result of correction of the malocclusion, whether by relieving pressure at the base of the brain or by improving mastication and respiration, thereby improving the physical condition of the child, is important enough to recommend orthodontic treatment. We can not always promise the parents that the correction of the malocclusion will improve the mental condition of the child, but it offers so many possibilities-relief of the nerve pressure, better mastication, and better respiration—that there is no other one single thing that offers as much of a chance for betterment. Again, following the facts that the correction of malocclusion improves the mental and physical condition of all children as shown by the increase in weight, standing at school, etc., we are justified in believing that it holds some possibility even in some of the most undesirable cases. Realizing the importance of normal mastication and normal breathing and the possibility of obtaining these, we believe that the advantage of orthodontic treatment can not be too strongly recommended. In the case of a child suffering from extremely abnormal mental development, even though the mental condition itself is not improved, the appliance will in no way interfere with the mentality, and it makes possible the increased physical development which can not help but be beneficial.

Orthodontic Society Programs Wanted

W E are requested to announce by Dr. Bernhard W. Weinberger, of 40 East 41st Street, New York City, that he would like to secure copies of the following programs:

- 1. Programs of the 1st to 13th Annual Meetings of the American Society of Orthodontists.
- 2. Programs of the Alumni Society of the Angle School of Orthodontia, prior to 1909.
- 3. Programs of the Alumni Society of the Dewey School of Orthodontia, 1st to the 7th Annual Meetings.
- 4. Programs of the first four meetings of the Pacific Coast Society of Orthodontists.
- 5. Programs of the Central Association of the Alumni Society of the Angle School of Orthodontia.

Doctor Weinberger wishes to secure these programs to complete his records for the "History of Orthodontia," which is now running serially in *The International Journal of Orthodontia*. These programs will be returned by Doctor Weinberger as soon as copies can be made of same.

We hope our readers who may have any of these programs will communicate with Doctor Weinberger immediately in order that he may complete the notable work he has undertaken.

Meeting of American Institute of Dental Teachers

THE next annual meeting of the American Institute of Dental Teachers will be held at Hotel Piedmont, Atlanta, Georgia, January 28, 29 and 30, 1919. Papers on the teaching of war dentistry and an exhibit of war appliances will be the main features, and along with these will be the usual papers on teaching methods.

All persons interested are cordially invited. Abram Hoffman, D.D.S., of 381 Linwood Avenue, Buffalo, N. Y., is Secretary of the Association.

Alumni Society of the Dewey School of Orthodontia

THE Alumni Society of the Dewey School of Orthodontia will hold their next annual meeting in St. Louis, March 6, 7, and 8, 1919. The usual high standard of the meetings of this Society will be maintained. All interested in orthodontia are welcome. Address communications to Dr. George F. Burke, 741-43 David Whitney Bldg., Detroit, Michigan.

Cancellation of Appeal for the Collection of Scrap Platinum

THE Chief of the Platinum Section and the Section of Medical Industry, War Industries Board, in a recent communication expresses appreciation of the hearty response made by physicians, dentists and others when the call for scrap platinum was made.

As the Governmental demand for platinum in the making of explosives, etc., has been tremendously decreased by the curtailed war program, it is requested that no further scrap platinum be tendered to the Government through the channels indicated in former communications.

Another Liberty Loan Coming

SECRETARY of the Treasury McAdoo has announced that, no matter what the results of the pending overtures for peace may be, there will be another Liberty Loan. To use his expression, "We are going to have to finance peace for a while just as we have had to finance war."

There are over 2,000,000 United States soldiers abroad. If we transport these men back to the United States at the rate of 300,000 a month, it will be over half a year before they are all returned. Our army, therefore, must be maintained, fed, and clothed for many months after peace is actually declared.

Editorials 663

The American people, therefore, having supported the fourth Liberty Loan with a patriotism that future historians will love to extol, will have an opportunity to show the same patriotism in financing the just and conclusive victorious peace whenever it comes.

Not for a moment, however, is the treasury acting an any assumption that peace is to come soon. Until peace is actually assured the attitude of the treasury and the attitude of the whole United States Government is for the most vigorous prosecution of the war, and the motto of force against Germany without stint or limit will be acted up to until peace is an absolute accomplished fact.

One more Liberty Loan, at least, is certain. The fourth loan was popularly called the "Fighting Loan;" the next loan may be a fighting loan, too, or it may be a peace loan. Whatever the conditions, the loan must be prepared for and its success rendered certain and absolute. Begin now to prepare to support it.

Why We Should Join the Red Cross

H OW American Red Cross physicians engaged in relief work in Jerusalem are accomplishing worth-while results in the face of great difficulties—and what they are up against, is shown in a report just received here from W. S. Dodd, A.R.C. physician working at Mejdel.

With two capable English trained nurses, and three native helpers, more or less useful, Dr. Dodd, his "hospital" housed under tents, performed 252 operations in seven weeks, besides giving medical examinations, treatment and counsel to hundreds of the destitute inhabitants and refugees.

His report says in part: "The work of the hospital was of the plainest sort, it might be called primitive. About twenty-five tents comprised the hospital proper, with a dispensary tent, and tents for the living quarters of the staff.

"The soil was all the purest sea-sand with thistles and scant grass; going barefoot was the universal custom, and in our own quarters we of the staff used to follow that custom with great pleasure. * * * *

"The professional side of the work was of the greatest interest to me and every day was a pleasure. The clinics numbered sixty to a hundred a day. Of course, we had all classes of cases in medicine and general surgery, but by far the larger proportion of our patients were eye-cases.

"Of the 252 operations that I did in less than seven weeks, 222 were for the eyes. This is the number of persons operated on, most of them having more than one operation, perhaps on all four lids, so that I really operated on 408 eyes.

"There were some cataracts, not more than would be seen in the same number of cases elsewhere, but trachoma and its consequences accounts for almost all of the eye troubles in this land. I set out to treat these cases radically and secured fine results when I could keep the patients long enough for a reasonable after-treatment. But even so, the number of eyes that can be saved from partial and total blindness is large and the economic value of each eye thus saved is enough to make the prosecution of this line of work of the greatest importance for the redemption of the land.

"The accident cases are always interesting. I had the last end of treatment of some cases of bombed hands, of which there had been quite a number in the earlier days. These were largely in children, and were due to their picking up unexploded Turkish bombs that were lying in the fields from the time of the British advance in the Gaza region. Many fingers and even hands were lost from this cause.

"Vermin was the great enemy we had to fight. Fleas were hardly counted as a problem because we could do nothing against them, they were everywhere and inevitable, and so far as we know at present not being the carriers of any special disease, did not come within the hostility of a medical conscience.

"Lice and maggots were a daily terror. How many wounds and injuries came to us filled with maggots I can not tell. A favorite dressing for a wound is a piece of raw meat, a breeding place for maggots, and they can hardly be blamed for invading the adjoining premises.

"Many a child had to be put under chloroform in order to search out and pull from their hiding places deep in the middle ear a half dozen wriggling maggots whose every motion was causing torture to the innocent victim.

"A woman came to the clinic complaining of headache. A single sore on her face led to questioning, and when she rather unwillingly undid her turban we found an exaggerated case of impetigo, and every separate sore was as if the whole thickness of the scalp down to the bone had been punched out, and every sore was a nest of maggots. I removed 60 at the first seance, and at the first dressing next day the nurse had more to do. The headache was cured without further treatment. And these are not the most loathsome cases that we saw.

"Another great difficulty with which we had to contend was the filthy habits of the people. In spite of providing proper sanitary facilities, we were compelled to have a scavenger go around every morning and clean up the filth from around the tents of the patients. The women were as bad offenders as the men. We made it a rule that anyone known to have violated these simple sanitary regulations must go without their dinner next day, and this was quite an effective punishment."

INDEX TO VOLUME IV

AUTHORS INDEX

A

ALLEN, BUNDY. Removal of thirty denticles from one bicuspid socket, 358

B

BEASER, HARRY P. A loop-wire splint, 117

— Orthodontic treatment by parcel post, 170

0

CAVANAGH, Wm. President's address before the Pacific Coast Society of Orthodontists, 209

CHAYES, E. S. Endocrinodontia, or the ductless glands—their expression in the human mouth, 120, 177

Cohen, M. B. An experimental study of root-filled teeth: Preliminary report, 36

D

Dewey, Martin. A consideration of some principles of regulating appliances, 625

- The function of tooth form, 141

 The indirect method of anchor band construction, 74

- The mechanism of wire stretching, 333

Three types of frenum labiorum, 461
 Dowling, J. T. The relation of the development of the nasal fossa to that of the oral cavity, 355

Duke, Wm. W. Pyorrhea alveolaris in relation to systemic disease, 189

E

ENGSTROM, CARL O. A band ring, 116

A system of orthodontic records, 395
 Operation for the removal of the ab-

 Operation for the removal of the abnormal labii frenum superioris, 463

F

FEDERSPIEL, M. N. Multiple fracture of the mandible, causing a marked dentofacial deformity, the result of a dynamite explosion—method of treatment; surgical, orthodontic, and prosthetic, 269

 Some observations of the treatment of cleft palate, 497 FLINT, D. WILLARD. President's address delivered before the American Society of Orthodontists, Chicago, Ill., August 1, 1918, 522

0

GIFFORD, A. C. Compromise treatment, 646

— The possibilities of the lingual and labial arch—single or in combination, 173

Gray, B. Frank. A study in "Impactions"

—Information wanted, 545

 Orthodontia in the year nineteen hundred eighteen, 203

H

HANAU, RUDOLPH L. Dental engineering is it justified? 515

Dental engineering: we assume—we conclude, 615

Photo-surveys of the human denture,
 58

HANSEN, HAROLD O. Roentgenograms of pulpless teeth, 431

HELLMAN, MILO. Observations on the form of the dental arch of the orang, 45

Ι

IVY, ROBERT H. Anatomy of the teeth and jaws, with special reference to roentgenogram interpretation, 124

J

Johnson, A. LeRoy. The law of occlusion and the normal in orthodontia. A philosophic survey of recent tendencies in orthodontia in the light of science, 588

K

Kelley, Varney A. Local and systemic effects of malocclusion, 401

L

LOURIE, LLOYD S. The concealed labial arch wire with spring extensions, 24

M

MANN, CHARLES C. Our moral responsibility, 466

Mershon, John V. The removable lingual arch as an appliance for the treatment of malocclusion of the teeth, 578

Morehouse, H. L. Third molar influence in orthodontic cases, 345

0

OLIVER, OREN A. The evil effect of adenoids and tonsils upon the dental arches, 391

Orndoff, B. H. A discussion of what happens in a roentgen tube, 434

P

Power, Wm. B. A summary of the causes of malocclusion, with special consideration of those that come under frequent observation, and which should be studied and guarded against, 407

PRINCE, NORMAN C. A new dental roentgenographic film holder, 135

R

RAWLINGS, J. W. Why the malocclusion should be corrected during the eruptive period of the permanent teeth, 470

ROBINSON, RAY D. Further experience with the .020 arch wire, 87

RODGERS, F. C. How far can a tooth be moved without destroying the pulp? 620 ROGERS, ALFRED PAUL. Muscle training and and its relation to orthodontia, 555

— The development of occlusion, 272

S

SCIARONI, G. H. Radium in the treatment of sarcoma and carcinoma, 655 SIMPSON, CLARENCE O. Income tax in-

formation for dentists, 79

SKINNER, EDWARD H. Practical radiography for the orthodontist, 251
SNIDER, W. L. A new method for mount-

ing dental films, 256

SOLLEY, A. A. Fractures of the mandible, 449

STEVENS, J. BERTRAM. How to fit and apply Angle's ribbon arch, 544

Stoft, W. E. A plea for more orthodontia, 404

Suggett, Allen Holman. Democratizing dentistry, 638

T

TITUS, F. G. The growth and development of the jaws, 411

W

Weinberger, Bernhard Wolf. The history of orthodontia, 92, 225, 297, 359, 416, 473, 531

 The results observed in a further study of prenatal causes of dentofacial deformities, 1

Z

ZABROCKI, JULIAN A. The uses of the x-ray in modern dentistry and medicine, 477 Band ring, 116

Abscesses, pyorrheal, 192 Adaptation, phenomena of, 593 Adenoids and tonsils, evil effect of, on dental arches, 391 gritting the teeth as a sign of, 42 Adrenodontia, 181 Alumni Society of the Dewey School of Orthodontia, meeting of the, 662 American Institute of Dental Teachers, 138, 662 American Red Cross Home Service, 624 American Society of Orthodontists, meeting of the, 202, 448 Amnion pressure causing malformations, 9 Anatomic landmarks in roentgenographic plates of the jaws, 131 Anatomy of human teeth, 149 of the teeth and jaws with special reference to roentgenogram interpretation, 124 Anchor band construction, indirect method of, 74 Anchor teeth, rotation of, 585 Anchorage, stability of, requisite of efficient regulating appliance, 626 Anesthesia in plastic operations about the face, 456 Angle's ribbon arch, how to fit and apply, Anode in the roentgen tube, 435 Antelope, teeth of, 146 Anterior rotations, 584 Appliance, universal regulating, 83 Appliances, a consideration of some principles of regulating, 625 concealed labial arch with spring extensions, 24 for expansion of arch, 364 for physiologic tooth movement, 38 principles of construction of, 276 use of suitable metal for, 138 Applied anatomy and oral surgery for dental students, 202 Arch, appliance for expansion of, 365 construction of, 579 enlargement of the, 310 shortening the, 314 use of, 581 wire bending, 579 wire, .020, further experience with, 87 wire, .020, technic for using, 88 Artificial teeth in cases where teeth are missing, 646 Atoms and molecules, relative sizes of, 437

Auxiliary springs, 581, 583

Bands, 309 on teeth continually, effect of, 524 Blood count in orthodontic cases, 406 Bodily movement of teeth, 321 Bone transplantation in fracture of the mandible, 455 Bridle apparatus, 316 Brooklyn experiment in democratizing orthodontia, 643 Buccinator, 290 Cap, head and chin, 428 Carcinoma, radium in treatment of, 655 Care of the mouth during orthodontic treatment, 212 Careless dental work, 193 Cast inlay suit lost by plaintiff, 200 Cathode in the roentgen tube, 435 Cathode rays, 439 Causes of malocclusion, 407 Children, teeth in development of, 639 transmission of resemblance from parents to, 365 Chin cap, 543 Cleft palate, etiology of, 498 tension plates used for, 510 treatment of, 497 Cleveland experiment in democratizing orthodontia, 643 Clinics for dental work, 222 Compromise treatment, 646 Congenital malformation, 3 Congenital malformations of the lower jaw, 372 Construction of anchor bands by indirect method, 74 Construction of appliances, 276 Construction of arch, 579 Crippled soldier, duty of the employer in the reconstruction of the, 329

Deciduous teeth, care and development of, 409 Deformities of the upper jaw, 228 Democratizing dentistry, 638 Democratizing orthodontia, 525 Dental arches, evil effect of adenoids and tonsils upon, 391 of the orang, observations on the form of the, 45 Dental bacteriology in relation to dental caries, 550, 551 Dental curves, 61 Dental education, 216

Dental engineering, 204, 208, 548, 615 is it justified, 515

Dental films, holding in place for exposure, 254

mounting, 256

Dental roentgenographic film holder, 135 Dental splints in war injuries, 450

Dentistry, democratizing, 638 for all the people, 219 need of, shown by war, 638 public press in, 328 use of x-ray in, 477

x-ray in, 201 Dentofacial deformities, prenatal causes of,

Denticles, removal of thirty, from one bicuspid socket, 358

Development of child without conscious control, 573

of the jaws, 411

of occlusion, 272

of teeth, 414

Dewey School of Orthondontia, meeting of alumni of, 662

Diastema in the orang, 51

Displacements in fractures of the mandible, 453

Ductless glands in relation to the mouth, 120, 177

Dystrophy, 243

E

Education and eugenics, 388 Efficiency of regulating appliances, 626 Electrical discharge, 436

Employer, duty of, in reconstruction of the crippled soldier, 329

Empyema of maxillary sinus shown in radiogram, 478

Endocrine organs in relation to the development of the teeth, 14

Endocrinodontia, or the ductless glands, their expression in the human mouth, 120, 177

Engineering, dental, 204, 208, 515, 548, 615 Enlargement of the arch, 310

Eruptive period of the permanent teeth, why malocclusion should be corrected during, 470

Ethics of orthodontic patients, 483 Etiology of harelip, 498

Etiology of malocclusion, 407 Eugenics and education, 388

Exercise of mandibular muscles, 565

Exercises, application of, in orthodontia, 286

Extraction of teeth, indications for, 432 Extraction, result of, 524

F

Fees, orthodontic, 82 Film holder, 135 Finger springs, removable lingual wire with, 622 use of, in efficient regulating appliances,

Food in fracture of the mandible, 451 Force of occlusion, 423

Forsyth Dental Infirmary for children, staff appointments for the, 327

Fracture of mandible, 449, 454 bone transplantation in, 455 examination of, 451 radiogram showing, 481 splints used in, 457

Fracture of the jaws, some vital phases of, 654

Frenum labiorum, three types of, 461 Function of tooth form, 142

Functional activities of the teeth during orthodontic treatment, 578

G

Gag or crown applied to open the bite, 379 Gingival margin, weakness of, 326 Gonadodontia, 179

Gritting of the teeth as a sign of adenoids,
42

Growth and development of the jaws, 411 Gum-chewing in control of muscles, 559 Gunning splint, 458

H

Half round tubes, location of, on molar bands, 579

Harelip in connection with cleft palate, 497 Hawley calipers for measuring arch wire, 581

Head cap used to shorten the teeth, 97, 99 Health, good teeth essential to, 219

Hereditary transmission of peculiarities in arrangement of teeth, 382

Heredity and environment in development of man, 594

Heredity as cause of malformation, 2 History of orthodontia, 92, 224, 297, 359, 416, 473, 531

Horse, teeth of, 147

Human denture, photo-surveys of, 58 Human embryo, development of, 5

T

Identification of films in radiography, 253 Impacted teeth, opening space for, 585 Impaction of third molar, shown in radiogram, 479

Impactions, a study of, 544

Impression for indirect band making, 74 Incisor teeth, method of regulating, 535 Inclined planes and levers, treatment of

irregularities with, 101

Income tax information for dentists, 79 Indirect method of anchor band construction, 74

Intermaxillary elastics for retention, 563 Internal secretions, 122

in relation to malocclusion, 13

Jackscrew, 361 applications of, 100 Jackson removable appliance, 627 Jaw, fractures of the, 449, 654 Jaws, growth and development of, 411 malignant tumors of the, 653 Jumping the bite, 103

Kangaroo, teeth of, 144 Kennedy, Dr. George D., 86 Kinesiology should be added to orthodontists' course of study, 558

L

Labial alignment wire in efficient regulating appliances, 628

Labial and lingual arch, single or in combination, possibilities of, 173

Labial arch wire with spring extensions concealed, 24

Labial movement of teeth, 586 Labidonty, 54

Labii frenum superioris, operation for the removal of abnormal, 463

Lingual and labial arch, single or in combination, possibilities of, 173

Lingual arch wire, removable, 578

Lingual arch with labial bar added, 601 Lingual wire appliance preferable when muscle training is to be instituted,

Lips, influence of, in modifying form of dental arches, 556

Locks in appliances, 89 Loop-wire spring, 117

Lowered resistance to infection as cause of pyorrhea, 195

M

Malformations, etiology of, 2 Malignant tumors of the jaw, 653 Malocclusion: and mental deficiency, 659 and mouth infection, 136 causes of, 407 local and systemic effects of, 401 why it should be corrected during the eruptive period of the permanent teeth, 470 Mandible, fractures of the, 449

Mandibular canal, 130 Masseter, 290 Mastication, control of muscles of, 563 Material and sizes of wire for lingual arch, Mechanical causes of malformation, 2 Mechanism of wire stretching, 333 Medicine and dentistry closely related, 216 Membership in American Society of Orthodontists, 523 Mental deficiency and malocclusion, 659 Mental development, relation of teeth and mouth to, 238 Mental foramen, 130 Metals for orthodontic appliances, use of suitable, 138 Metal plate, Salter's 378 Mirrors, use of, in photography, 70 Missing teeth, compromise treatment in cases of, 646 in orthodontic practice, 258 opening space for, 585 Modern dentistry, 445 Molar, third, influence in orthodontic cases, 345 Molecules and atoms, relative sizes of, 437 Moral responsibility, 466 Mountain lion, teeth of, 144, 145 Mounting dental films, 256 Mouth breathing caused by adenoids, 392 Mouth infection and malocclusion, 136

Movement, direction of, for different appliances, 561

Mucoperiosteal flaps, freeing of, in operation for cleft palate, 509

Multiple fracture of the mandible causing dentofacial deformity, 269

Muscle control, gum-chewing in, 559 Muscle exercise, 565-577

Muscle groups, 288, 564, 568, 569

Muscle training and its relation to orthodontia, 555

Muscular training in practice of medicine, 598

Myliobatis, teeth of, 143

Nasal fossa, relation of development of, to that of the oral cavity, 355 Nasal obstruction as a cause of malocclusion, 408 National Association of Dental Faculties, National Dental Association, meeting of, 267 National Dental Board of Registration need of a, 198 Natural law, orthodontia founded upon, 590 Nonunion in fracture of the mandible, 454

Normal differs in individuals, 591

Occlusion, after fracture of mandible, 455 development of, 272 force of, 423 laws of, in orthodontia, 588

Operation for the removal of the abnormal labii frenum superioris, 463

Oral cavity, relation of development of nasal fossa to, 355

Orang, dental arch of, observations on the

form of the, 45 Orthodontia, a plea for more, 404 exercises in, 286 history of, 92, 296, 359, 416, 473, 531 in the year 1918, 203 law of occlusion in, 589 missing teeth in, 258 muscle training in relation to, 555 radiography in, 251 teaching of, in dental schools, 212-217 teaching of, to undergraduates, 604 third molar influence in, 345

Orthodontic appliances, use of suitable metal for, 138

Orthodontic patients, ethics of, 483 Orthodontic records, a system of, 395 Orthodontic treatment by parcel post, 170 Orthodontics and the National Dental Association, 41

Orthophotographic apparatus, 59 Orthophotographs, 58 Osteomyelitis, 190

Pacific Coast Society of Orthodontists, fifth annual meeting of the, 85 Palatine canal, posterior, 130 Parrot-fish, teeth of, 143 Parsons, Dr. John W., death of, 218 Pathologic causes of malformations, 2 Pathology and bacteriology for dental students, 553 Patients, ethics of orthodontic, 483

Pegs vs. screws in cases of torsion, 249 People, dentistry for all the, 219 Photo-surveys of human denture, 58 Physiologic tooth movement, appliances for, 38

Physiologic tooth movement, painless, 629 Pickerel, teeth of, 142

Pithecoid characteristic, is labidonty a, 54 Pituitodontia, 179

Platysma, 290

Platysma myoides important in facial muscular development, 572

Pliers, wire-stretching, 334

Position of head in taking roentgenograms of the teeth, 131

Prenatal causes of dentofacial deformities,

President's address before the Pacific Coast Society of Orthodontists, 209

President's address delivered before the Amercian Society of Orthodontists, Chicago, Ill., 523

Preventive dentistry, 220

Principles of regulating appliances, 625

Professional policy, 642

Progress made in orthodontia, 209 Prophylaxis of malocclusion, 217

Psychologic considerations in orthodontia,

Pterygoid, 289

Public press in dentistry, 328

Pulp, how far can a tooth be moved without destroying, 620

Pulpless teeth, roentgenograms of, 430 Pyorrhea alveolaris, causes of, 189 in relation to systemic disease, 189

Pyorrheal abscesses, 192

Qualitative science, 589 Quantitative science, 589

Radiation, 441

Radiograms, use of, in fracture of the mandible, 450

Radiographic technic, 252

Radiography, elementary and dental, 552 for the orthodontist, 251

Radium in the treatment of sarcoma and carcinoma, 655

Records, orthodontic, a system of, 395

Regulating appliances consideration of some of the principles, 625

Removable lingual arch as an appliance for treatment of malocclusion, 578

Removable lingual wire with finger spring, 622

Responsibility, our moral, 466 Retainer used by Hawley, 599

Retaining plate, 476

Retention, 587

in Class II cases, 562

Retracting anterior teeth, 307

Rhachitis, irregularity of teething diagnostic of, 242

Roentgen rays, 440

Roentgen tube, what happens in a, 434 Roentgenograms of pulpless teeth, 431

Roentgenographic anatomic landmarks in the upper jaw, 125

Roentgenographic film holder, dental, 135 Roentgenographic landmarks in the lower jaw, 130

Root-filled teeth, experimental study of, 36

Resemblance, transmission of, from parents to children, 365 Retarded eruption of permanent teeth, 382 Rotating appliance, 427 Rotating incisors, Hawes' method of, 372 Rotating teeth, 304 Rotation of first molars or anchor teeth,

585 Rotations, 583

S

Sarcoma, radium in treatment of, 655 School children, diseased or faulty mouths in, 639 Schools, examination of children in, 219 Science defined, 589 Screw gag, use of, in fracture of the mandible, 454 Service vs. results, a question of orthodontic fees, 82 Shortening the dental arch, 314 Six-year-old molars, 226 Skeleton skullcap, 104 Skull and mandibular splint, 458 Social dentistry, 223 Soldering of half round post to arch, 579 Splint, Gunning, 458 loop-wire, 117 skull and mandibular, 458 used in fracture of the mandible, 457

Staff appointments for the Forsyth Dental Infirmary for Children, 327 Standards in development of occlusion,

273

Straggling teeth, 311 Surgical, orthodontic, and prosthetic treatment of multiple fracture of the mandible, 269

Sutures, placing and tying in cleft palate operations, 511

of antelope, 146

Swaging of bands over metal models, 74 Systemic and local effects of malocclusion,

Systemic disease, pyorrhea in relation to,

T

Teachers, our former, in Germany, 43 Teaching of orthodontia to undergraduates, 604 Technic for using .020 arch wire, 88 Teeth and jaws, anatomy of, with special reference to roentgenogram interpretation, 124 development of, 414 missing, compromise treatment in cases of. 646

of horse, 147 of hyena crocuta, 146 of kangaroo, 144

of mountain lion, 144, 145 of myliobatis, 143

of parrot-fish, 143 of pickerel, 142 root-filled, 36

Teething, irregularities of, diagnostic of rhachitis, 242

Tension plates for use in cleft palate, 510 Teratogeny of dental anomalies, 418

Third molar influence in orthodontic cases,

Third molars, roentgenograms showing, 347-350

Thumb-sucking, results of, 248 Thymodontia, 183

Thyrodontia, 178

Tissues, changes in, in regulating teeth, 301 Tonsils and adenoids, evil effect of, on dental arches, 391

Tooth form, function of, 142

Tooth movement, individual, appliances allowing, 627

Tooth regulating machine, 379, 380 Treatment of cleft palate, 497

Treatment of orthodontia with lingual arch, 581

Tube, roentgen, what happens in a, 434

U

Universal regulating appliance, 83

V

Vomer cut in operation for harelip, 500 V-shaped maxilla, method of treating, 96 Vulcanite plate, 102, 385, 422, 539

W

War injuries of the jaw, 450 Wire, gauge, 599 .020 arch, 87 size for use in appliances, 634 Wire stretching, mechanism of, 333 Wiring the bone in fractures of the lower jaw, objections to, 451 Woodchuck, teeth of, 143

X

X-ray findings, interpretation of, 481 in dentistry, 201 in modern dentistry and medicine, use of, 477 in orthodontia, 525

EDITORIALS

American Institute of Dental Teachers,

American Society of Orthodontists—Eighteenth Annual Meeting, 448

Announcement of the Meeting of the National Dental Association, 267

Appliances for physiologic tooth movement, 38

Applied anatomy and oral surgery for dental students, 202

Cast inlay suit lost by plaintiff, 200 Dental bacteriology in relation to dental

caries, 551
Dental engineering, 548

Dr. George D. Kennedy, 86 Education and eugenics, 388

Elementary and dental radiography, 552 General pathology and bacteriology for dental students, 553

Gritting the teeth as a sign of adenoids, 42 Inducing a child to open its mouth, 42 Malocclusion and mental deficiency, 659 Malocclusion and mouth infection, 136 Missing teeth in orthodontic practice, 258 Modern dentistry, 445

Orthodontics and the National Dental Association, 41

Our former teachers in Germany, 43

Our Hawaii, 447

Permanent Staff Appointments for the Forsyth Dental Infirmary for children, 327

Service versus results—a question of orthodontic fees, 82

Sixty-eight vacancies in the dental corps, United States Army, 554

Stepping out in front, 443

The American Red Cross Home Service, 624

The duty of the employer in the reconstruction of the crippled soldier, 329

The ethics of orthodontic patients, 483

The Fifth Annual Meeting of the Pacific Coast Society of Orthodontists, 85

The need of a National Dental Board of Registration, 198

The public press in dentistry, 328

The removable lingual wire with finger springs, 622

The universal regulating appliance, 83

The use of suitable metals for orthodontic appliances, 138

The weakness of the gingival margin, 326 The x-ray in dentistry, 201 Vol. IV

DECEMBER, 1918

No. 12

The INTERNATIONAL JOURNAL

OF

ORTHODONTIA

A Monthly Journal Devoted to the Advancement of the Science of Orthodontia

MARTIN DRWEY, D.D.S., M.D., Chicago, III.

Editor-in-Chief

H. C. POLLOCK, D.D.S., St. Louis, Mo.
Associate Editor

Editors, Department of Dental and Oral Radiography
JAMES DAVID McCOY, D.D.S., Los Angeles, Calif.
ROBERT H. IVY, M.D., D.D.S., Milwaukee, Wis.
B. FRANK GRAY, D.D.S., San Francisco, Calif.

Oral Surgery and Surgical Orthodontics
M. N. FEDERSPIEL, B.Sc., D.D.S., M.D.
Milwaukee, Wis.

THE C. V. MOSBY COMPANY
SAINT LOUIS

\$3.00 Per Annum

Single Copies, 30 Cents

In the treatment of suppurative lesions of the gums, wherein stimulating restorative antiseptic influence is indicated, prescribe

LISTERINE

For cleansing and purifying the oral cavity before and after operations on the teeth, a cooling, refreshing spray, wash or gargle is provided by

LISTERINE

As an adjunct to the dental toilet of your patients; as a prophylactic tooth and mouth wash, for daily use, there is nothing superior to

LISTERINE

Booklet "The Teeth and Their Care" emphasizes the importance of frequent consultation with the dentist, and contains useful information for patients; 200 copies imprinted with professional card, furnished gratuitously.

Dental examination blank combining chart and Notice to Parents, suitable for dentists doing clinical work among school children, also supplied without cost. Dentist's name and address printed thereon.

Lambert Pharmacal Company

Twenty-first and Locust Streets

St. Louis, Mo., U. S. A.

S. S. White Equipment Combination "B"

[Patented]

Light, Strong, Symmetrical, Sanitary

An eminently practical equipment for private practice, college, or infirmary use.

The Diamond Chair provides every position and movement essential to the comfort and convenience of patient and operator—with smoothness of movement and absolute rigidity in all positions, at any height.

The Equipment Stand No. 2 embodies the essential features of the S. S. White Spiral Flush Spittoon No. 6 and includes S. S. White Glass Aseptic Table No. 3, electric light, connections for gas and compressed air.

Unsightly and unsanitary rubber tubing has been dispensed with. Strong caustic cleansing solutions may be used with perfect safety. The metal piping is carried directly into the base of the stand and is quickly accessible through removable plate.


Our Equipment Service

Blue print plans furnished and color schemes suggested without charge or obligation.

Write today for our new catalog of "Modern Dental Equipment,"

The S. S. White Dental Manufacturing Co.
"Since 1844 the Standard"
Philadelphia





Angle's Ribbon-Arch Orthodontic Appliances are light, compact, and comfortable,

possess all the positive force, control and range of bodily movement, of Dr. Angle's Pin-and-Tube Appliances.

This latest contribution to modern orthodontic methods is a revelation in regulating. The appliances are easy to understand, apply and operate. Their use means better results, shorter and less frequent appointments with patients.

For Sale by Dental Dealers and at our Houses
The S. S. White Dental Manufacturing Co.

"Since 1841 the Standard" PHILADELPHIA

Write for reprint in pamphlet form of Dr. Angle's article in the September, 1916, "Dental Cosmos," which describes these appliances in detail.

Sent with price list, free upon request.

Aderer's Standard Wire and Band Metal For Use In Orthodontia

(For convenience sake these materials can be ordered by number)

WIRE

- No. 0—New Elastic Wire, containing no Platinum, equal to any Platinum-Gold wire, in foot lengths, usual gauges.
- No. 1-Elastic Platinum-Gold wire, in foot lengths, gauges 24 to 14 B & S.
- No. 4—Very Elastic high fusing Platinum-Gold product, in foot lengths, gauges 24 to 14 B & S.
- No. 6—Noxidium hard like Iridio-Platinum, very high fusing, non-oxidizable, looks like Platinum, in all gauges as above.
- No. 7—Noxidium soft, very high fusing, non-oxidizable, in gauges as above, furnished in foot lengths.
- No. 10—Palladium-Platinum-Gold, very high fusing, slightly oxidizing in the fire, but unchangeable in ordinary temperature, all gauges in foot lengths.

BAND MATERIAL

- No. 10a-Palladium-Platinum-Gold, very high fusing, an ideal substitute for Iridium-Platinum.
- No. 12-10% Platinum, high fusing, non-oxidizable, known as our Platinum-Gold Band Metal, furnished in different regulation widths and thickness
- No. 7a—(Noxidium.) Color of Iridio-Platinum, non-oxidizable, very high fusing, softer than Iridio-Platinum but harder than pure Platinum, for banding front teeth.

WIRE AND BAND METAL

Containing None or a Small Percentage of Gold

- No. 3—Copper Zinc Aluminum (so-called noncorrosive), in wire form, gauges 20 to 15 B & S.
- No. 3a-Band Metal in the above material, narrow, medium or wide.
- No. 5—New Gold Alloy Wire, containing 10% Gold, in foot lengths, gauges 20 to 15 B & S.
- No. 5a-Band Metal (New Gold Alloy), narrow, medium or wide.

JULIUS ADERER, Inc.

Manufacturers of Orthodontia Appliances since 1906, and the First to Introduce Platinum-Gold for use in Orthodontia

CHICAGO BRANCH
Marshall Field Annex Building
For Convenience of our
Western Customers

MAIN OFFICE
47 West 42d Street
New York, N. Y.

The Aderer "Ideal" Expansion Arch

Furnished in Platinum Gold For Canada and Foreign Countries furnished in our 18kt. "New Elastic Gold"



DIMENSIONS OF REGULAR ARCHES

	REGULATION TO THE STATE OF THE											
No.	1, gauge	e 16,	length	43	inches	No.	6,	gauge	17,	length	4	inches
No.	2, "	16.	6 6	41	66	No.	7,	4.6	18,	66	$4\frac{1}{2}$	"
	•			1	66 .	No.	8,	6.6	18,	4.6	44	66
NO.	3, " Nos. 1, 2, ar	y.	No.	9,	6.6	18,	6.6	4	**			
No.	4, gauge	e 17,	length	43	inches	No.	10,	6.6	18,	6.6	33	66
	5. "			41	66	No.	11.	6.6	18.	66	31	66

BABY ARCHES

No. 70, gauge 19, length 4½ inches No. 80. 19. No. 90. 20. 4 No. 100, " 20. 33 No. 110, " 31/2 21.

BUCCAL TUBES FOR REGULAR ARCHES ROUND OR NON-TURNABLE



BUCCAL TUBES FOR BABY ARCHES ROUND OR NON-TURNABLE

SIDE VIEW







Enlarged Illustration Showing Raised Screw Ends of Our Arches (Patented 1908)

JULIUS ADERER, Inc.

Manufacturers of Orthodontia Appliances since 1906, and the First to Introduce Platinum-Gold for use in Orthodontia

CHICAGO BRANCH Marshall Field Annex Building For Convenience of our Western Customers

MAIN OFFICE 47 West 42d Street New York, N. Y.

JULIUS ADERER, Inc.

Dental Golds and Dental Solders


have been used by the dental profession for the last twenty years. We could not have had this success without the profession's support, nor this support unless our products were worthy of it.

We invite those who have not used our Solders, Golds, Casting Golds, etc., to try our products, and feel confident that they will join the list of our permanent customers.


Gold and Platinum Scraps purchased at market value.

JULIUS ADERER, Inc.

Refiners and Manufacturers of Precious Metals
47 West 42d Street - - New York, N. Y.




BLUE ISLAND SPECIALTY CO. CONTOURED SEAMLESS MOLAR BANDS



(See opposite page for other Blue Island products)

Mention this Journal when writing to Advertisers.

Unequaled Results-Utmost Simplicity



The

ADAMS Note and Land COOLIDGE DENTAL TUBE

combines in ONE UNIT a closed-core transformer with a rigid tube holder arm which is adjustable to all positions without moving the transformer, and which folds out of the way when not in use.

BETTER RADIOGRAPHS CANNOT BE MADE

regarding.

THE ADAMS X-RAY CO.

Seward and Woodward Ave.

DETROIT - MICH

not be the first

Mention this Journal when writing to Advertisers.



is the Trade Mark of the ever-satisfying X-Ray Machine.

Its capacity guarantees Radiographic films of short time exposures and best details.

A BARGAIN

is yours if you want an apparatus of smaller capacity and slightly used. We have a number of machines of other makes, all overhauled and in working condition, taken as part payment for a "Silent KAYESS."

For a descriptive list, address,

THE KNY-SCHEERER CORPORATION

404 WEST 27TH STREET NEW YORK, N. Y.

X-RAY For EVERY Dentist

The time has come for EVERY progressive dentist to have X-Ray apparatus in his office.



Check your own work. Save the time spent in waiting for the radiograph.

Braph.
It's easy to own an X-ray machine — now.

Here's Why

A finished machine may be had for very little investment; all experimental work has been done.

Easy payments may be arranged pay for the outfit while you use it.

Put the rad iograph fee in your own pocket.

WRITE FUR CATALOG

H.G.FISCHER & CO.



MANUFACTURERS 2341-43 Wabansia Avenue CHICAGO, ILL.

Dental Radiographic Laboratory

Special Equipment for Orthodontic Work Unusual care taken to produce results of the highest order of merit

CONSULTATION BY APPOINTMENT

Gray Chandler Briggs, M.D.

WALL BUILDING SAINT LOUIS, MO.

Lindell 5600

PHONES

Delmar 4206



BUCK'S X-OGRAPH PACKETS

For Dental X-Ray Work

An extremely thin, metal backed, dental film packet with s moothly rounded corners. Readily conforms to the curves of the mouth. Easy to hold in position. Two speeds, suitable for any kind of equipment. Produces roentgenograms of wonderful detail and brilliancy.

It's the Perfect Packet. Try it.

Manufactured and Patented by

A. W. BUCK, St. Louis, Mo.

Dealers in all principal cities

AN EXCLUSIVE FEATURE

The Self-conforming Back

The back of the Ritter chair is designed to conform to the body when reclined so that no re-adjustment of the headrest is necessary.

The Ritter Dental Mfg. Co. of Rochester, N. Y.



WAPPLE

EMPIRE MODEL No. 2

X-Ray Machine

For the Particular Dentist

This machine embodies the same true Rectifying High Tension System as that used in the large Wappler Hospital machines but yet attains the acme of simplicity, compactness, and handsomeness demanded by the busy dentist.

The machine provides its own Technic. The Dentist or his assistant sets the Rheostat on the button indicated by us as suitable for the kind of TEETH, JAWS or SINUS then pushes the button."

Write today to Dept. 0 for descriptive catalog of Dental X-Ray and Ionization apparatus and for the names of other nearby users. Price of Empire Model No. 2,

\$350.00 f. o. b. New York.

Assembly and Personal Demonstration is made in the purchaser's office by our representative without charge.



WAPPLER ELECTRIC CO., INC. :

Service Stations In Seventeen Cities

175 East 87th St., NEW YORK

This is the "Baby Hogan" SILENT

> Dental X-Ray Transformer



Patented Jan. 30, 1917

Perfect Dental Radiographs The Refined X-Ray Equipment No Motor or Moving Parts on A.C.

SOLD BY ALL LEADING JOBBERS

You buy only one X-Ray machine. Here's your chance to own the best at the lowest possible outlay.

A beautiful catalog showing the "Baby Hogan" in natural colors. Send for your copy today.

"If you want a thing done well, do it yourself."

BE AN X-RAY Specialist yourself.

McINTOSH BATTERY LINTOSH BATTERY

Address Name.



VICTOR-SNIDER DENTAL FILM-MOUN

CASE NO.

DATE witted light)

RIGHT

1 2 3 4 5 6 7 8 Upper 1 2 3 4 5 6 7 8 Lower

Total Corp., Chicago-cambridge-new york

diographer
Victor-Snider"
uisition to the

ade of opaque card-board of used.

er side) with pen, pencil or and remains firmly in position.

The price than any other film; the film, and bear importance of each case.

DRPORATION
and Electro-Medical Apparatus
ASS.

NEW YORK

131 E. 23rd St. ADDRESS (View only by strong transmitted light) LEFT Upper 1 2 3 4 5 6 5 LINGUAL ASPECT REFERRED BY VICTOR-SHIDER FILM MOUNT SIZE 1 PAT, APPLIED FOR VICTOR ELECTRIC CORP., CHICAGO-CAMBRIDGE-NEW YOR

Every Dental Radiographer

will be interested in the "Victor-Snider" film-mount—a recent acquisition to the Victor Line.

Practical—Because they are compact; made of opaque card-board of suitable thickness-no celluloid being used.

Convenient - Can be written on (either side) with pen, pencil or typewriter. Film is inserted easily and remains firmly in position.

Economical—They sell at a much lower price than any other film; can therefor be filed permanently with the film, and bear important notes on the diagnosis and prognosis of each case.

Write for samples and prices

VICTOR ELECTRIC CORPORATION

Manufacturers of a Complete Line of Roentgen and Electro-Medical Apparatus **CHICAGO** CAMBRIDGE, MASS. 236 S. Robey St. 66 Broadway

"My R is Calox"

May 20, 1918

McKESSON & ROBBINS

91 Fulton Street, New York

Gentlemen: I have noticed in the mouths of several soldiers for whom I work, a cleaner condition of the teeth with those who use a good POWDER, than in others who use a paste. My R is CALOX Tooth Powder.

Will be glad to receive professional package from you.

(Unsolicited Letter from a Massachusetts Dentist)

Reason — CALOX does clean the teeth, because CALOX is a Powder. CALOX does purify the mouth and teeth, because it contains available Oxygen, which cannot be put in a paste.

Professional Package and Samples on Request



McKESSON & ROBBINS

INCORPORATED

ESTABLISHED 1833

NEW YORK



Mention this Journal when writing to Advertisers.

There's a New Interest in Oral Hygiene

The facts about Pepsodent, told to millions in magazines, have awakened a nation-wide interest.

Perhaps never before have so many people so quickly changed to a new form of dentifrice.

One reason lies in the failure of old methods.

They did not properly combat the mucin plaque.

The inventor of Pepsodent rectified this condition by four major innovations:

He invented and patented a harmless method for activating pepsin. That is harmless to tooth enamel.

Thus he made possible the daily application of pepsin, the digestant of albumin.

He made a tooth paste free from soap, because soap is alkaline, and because it reduces friction.

He made a non-alkaline dentifrice, because alkali tends to render the mucin more viscous and resistant to the brush.

For his polishing agent he adopted finely powdered calcium phosphate, the chief tooth constituent. Scientific tests proved that calcium phosphate, despite its efficiency as an abrasive, would not scratch enamel.

By combining these qualities he has made a dentifrice which is bound to supersede old methods. One can not properly test this product without coming to that conclusion.

We urge that every dentist in these days should know the formula of Pepsodent. He should know the results by experience, and the reasons for those results.

If you will mail us this coupon we will help you to that information. To save your time, we do this by mail—not in person.

"PEPSODENT"

The Scientific Dentifrice

Based on Activated Pepsin the Digestant of Albumin The Pepsodent Co.,
3907 Ludington Bldg.
CHICAGO

I should like to know more about Pepsodent.

Name____

Address

Mention this Journal when writing to Advertisers.

THE LARYNGOSCOPE

An International Monthly Journal Devoted Exclusively to Diseases of the

EAR-NOSE-THROAT

Subscription Price, \$5.00 per Annum, in Advance

To recognize the various conditions in their relation to diseases of the ear, nose or throat the orthodontist should keep thoroughly posted on the literature of these specialties. In addition to important original communications, society proceedings and abstracts each month, The Laryngoscope publishes annually a complete Index Medicus of the literature of Otology, Rhinology and Laryngology, with abstracts of the most valuable articles in these specialties.

Make subscription remittance payable to

THE LARYNGOSCOPE CO.

ST. LOUIS, MO.

3858 WESTMINSTER PLACE

EVERY X-RAY USER

Needs some of these supplies

X-RAY PLATES. Three brands in stock for quick shipment.

BARIUM SULPHATE Highest grade, prepared especially for abdominal X-Ray work. Try it, and you will use no other. None better at any price.

DENTAL FILM MOUNTS. Black cardboard with celluloid window, or all celluloid types, one to ten film openings.

DEVELOPER CHEMICALS. METOL (American or Holland), ounce, \$1.70, 4 oz., \$6.00, 8 oz., \$11.50, pounds, \$22.00. Hydroquinone, \$3.35 per pound, Hypo, 100 lbs., \$4.00.

DENTAL X-RAY FILMS. Fast or slow emulsion, regular or oval shapes. (Ovals for lower molars).

FILING ENVELOPES with printed X-Ray form.

INTENSIFYING SCREENS for reducing exposures.

DEVELOPING TANKS. Four or six compartment stone, or single porcelain enameled. Two compartment tank for dental films.

Only highest grade goods at fair prices. Your name should be on our mailing list for free technical information.



GEO. W. BRADY & CO. 809 S. Western Ave., CHICAGO, ILL. B

B

Make Your Scrap Gold Bring Full Returns

In exchanging the value of gold and platinum content of your scrap, you will do better here than it is possible to do elsewhere.

The government restrictions have created a shortage which probably you are feeling keenly. Protect yourself! Send in all the scrap you can in exchange for

BAKER Dental Golds

You are only allowed 75% of the monthly average you used during the past three years—not what you would have used this year.

Multiply this difference by 40,000 dentists and the result is inevitable.

Exchange every ounce of scrap you have and get the full value for it in dental golds. Send it to us.

Descriptive Brochures upon request

BAKER & CO., INC.,

NEWARK, N. J.

Licensed by Bureau of Mines to Purchase, Possess and Sell Platinum Metals

B

 \mathbf{B}

American Made NOVOCAIN In The Service

(Procaine-Metz)

We have furnished the U. S. GOVERNMENT with practically the entire output of our factory, including Novocain powder, Novocain tablets, and Novocain-Suprarenin Tablets.

This fact has restricted our output to the profession, but our increased production now enables us to supply Novocain through the regular trade channels promptly.

INSIST ON N-S TABLETS

No Harrison Narcotic Blank required

Send us the name of your dealer

H. A. METZ LABORATORIES, Inc.

122 Hudson Street, New York

INTRODUCTORY OFFER OF An Orthodontia Clamp Band with Real Merit

The "Simplex Reversible"



It has the strength of the wide, straight bands. It has all the advantages of a contoured band. It is "DOUBLE CONTOURED."

It can be used on either upper or lower. It can be used on either right or left side. It slips on the tooth without cutting the gum. It clamps up to a snug fit with very little burnishing. nishing.

It is made only of "SIMPLEX" Non-corrosive metal.

It is soldered only with Gold solder.

It is made in eight sizes.

It is fully guaranteed in every respect.

It sells for \$1.00, and was the first Non-corrosive band to sell at that price.

INTRODUCTORY OFFER

For the price of one band, \$1.00, enclosed with your order, we will send you two "SIMPLEX REVERSIBLE" clamp bands and one "SIMPLEX STANDARD" Expansion Arch, provided that you send us the name of your dealer along with your order. Only one "Trial Set" to a customer.

The above offer is made to acquaint you with the "SIMPLEX" line of Orthodontia Appliances and is subject to our usual guarantee of "Money refunded if, for any reason, you wish to return the goods." Price list of "SIMPLEX" Orthodontia Appliances sent on request.

THE ORTHODONTIA SUPPLY CO.

207 Altman Building

KANSAS CITY, MO.

We have a complete laboratory for the fitting of Special and Retaining Appliances to models



Broadway, 32d & 33d Sts., New York. Direct Entrance to Broadway Subway and Hudson Tubes

One Block from Pennsylvania Station Convenient for Amusements, Shopping or Business

Rates \$2.00 Per Day and Up.

A SPECIALTY

155 Pleasant Rooms, with Private Bath, \$3.00 PER DAY

The Martinique Restaurants Are Well Known for Good Food and Reasonable Prices.

To Our Subscribers

When writing to advertisers mention the fact that you saw their advertisement in the International Journal of Orthodontia. Advertisers recognize the fact that this journal is read by the leading practitioners in each community and consequently your wants will be attended to immediately.



OFFICE COATS


"Nationally Known"

"Nationally Used"

Workmanship and materials are the best; perfect fit guaranteed. All our coats are strictly washable. Write for our sample card and style sheet.

ational Coat Mfg. Co.
125 Fifth Avenue New York City, Dept. D.

Dr. Bacon's Removable Regulating Appliance



Irregular Teeth is One of the Principal Causes of Pyorrhea!—

Hence the regulating of teeth must be one of the best methods of preventing pyorrhea —providing it is done in a prophylactic manner.

A removable appliance that keeps the teeth in natural contact at all times and avoids the use of bands and ligatures, is certainly the most sanitary method. Why not use sanitary methods in orthodontia, as well as in your bridge construction?

Try one of our appliances.

Price, \$15.00 an appliance or \$30.00 for two appliances.

Terms, check with order or C. O. D.

This appliance is made of spring tempered wire and must be bent at the points A, B, C, D, E and F, to cause pressure. The whole arch is gradually molded into proper form. The appliance then acts as a retainer.

THE BACON MFG. COMPANY

DR. D. S. BACON, Pres.

416 LASALLE BUILDING

MINNEAPOLIS, MINN.

THE INTERNATIONAL SCHOOL OF ORTHODONTIA, Inc.

ELEVENTH AND LOCUST STREETS

KANSAS CITY, MISSOURI

"HEART OF AMERICA"

"HOME OF ORTHODONTICS"

The Winter Session of the International School of Orthodontia will begin Monday, January 6th, 1919, and continue five weeks.

Practically all children need Orthodontic treatment.

Any general practitioner of ordinary ability can in a short time prepare himself to do this work.

Do not overlook the fact that you have had several years of training in your college work and office practice which are of inestimable value, when considering a course in Orthodontics for either practicing or teaching the same.

This Course of Intense Training is arranged to meet the needs of the general practitioner in small towns who wishes to handle a few cases; the specialist desiring to take post-graduate work; or the teacher who seeks to improve his methods.

For further particulars address,

WM. J. BRADY, Dean

HUGH G. TANZEY, President

Westover Building,

508 Commerce Building,

31st and Troost Ave., Kansas City, Mo.

Kansas City, Mo.

The quantitative formula of ALBODON DENTAL CREAM and analytical reports will be sent prepaid to any dentist or dental student willing to make an earnest comparison of ALBODON with other dentifrices with a view to satisfying himself: "Which is the best one to prescribe in my practice?"



Address: THE ALBODON CO., 7 West 45th St., NEW YORK.

"MERIT WINS RECOGNITION"

Widely Recommended Dental Textbooks

PRINZ—Dental Materia Medica and Therapeutics

By Hermann Prinz, A.M., D.D.S., M.D., Professor of Materia Medica and Therapeutics, The Thomas W. Evans Museum and Dental Institute School of Dentistry, University of Pennsylvania, Philadelphia; formerly Professor of Materia Medica and Therapeutics and Director of the Research Laboratory of the Dental Department of Washington University, St. Louis. 650 pages, octavo, 161 illustrations. Fifth edition, enlarged and revised according to the United States Pharmacopeia, 9th Decennial Revision. Price, \$5.00.

BLAIR-Surgery and Diseases of the Mouth and Jaws

By Vilray Papin Blair, A.M., M.D., F.A.C.S., Major Medical Officers Reserve Corps, U. S. A.; Professor of Oral Surgery in the Washington University Dental School, and Associate in Surgery in the Washington University Medical School, St. Louis. Third edition. 733 pages, 460 illustrations. Price, \$6.00.

DEWEY—Practical Orthodontia

By Martin Dewey, D.D.S., M.D., Chicago, Ill., Head of the Department and Professor of Orthodontia, University of Iowa; President of Dewey School of Orthodontia. 500 pages, 660 illustrations. Price, \$5.00.

DEWEY-Dental Anatomy

By Martin Dewey, D.D.S., M.D., Professor of Dental Anatomy and Orthodontia, Kansas City Dental College; President of the Dewey School of Orthodontia. 291 pages, 133 original illustrations. Price, \$2.50.

DEWEY-THOMPSON—Comparative Dental Anatomy

By Martin Dewey, D.D.S., M.D., Professor of Dental Anatomy and Orthodontia, Kansas City Dental College; and Alton Howard Thompson, D.D.S., Late Professor of Anatomy, Human and Comparative, Kansas City Dental College. Second edition. 225 pages, 85 illustrations. Price, \$2.00.

McCOY—Dental and Oral Radiography

By James David McCoy, D.D.S., Professor of Orthodontia and Radiography, College of Dentistry, University of Southern California, Los Angeles. Second edition. 175 pages, 123 illustrations. Price, \$2.50.


HODGEN-Practical Dental Metallurgy

By Joseph Dupuy Hodgen, D.D.S., Professor of Operative Dentistry, formerly Professor of Dental Chemistry and Metallurgy, Dental Department of the University of California; assisted by Guy S. Millberry, D.D.S., Professor of Chemistry and Metallurgy, Dental Department of the University of California, San Francisco. Fifth edition. 435 pages, 61 illustrations. Price, \$2.50.

DAVIS—Essentials of Operative Dentistry

By W. Clyde Davis, B.S., M.D., D.D.S., Dean and Professor of Operative Dentistry and Technic, Lincoln Dental College, Associated with the University of Nebraska, Lincoln, Nebraska. Second edition. 334 pages, 180 illustrations. Price, \$4.00.

C. V. Mosby Company – Publishers – St. Louis



Jackson's Orthodontic Specialties Exclusively

Jackson's Orthodontic Appliances are the recognized standard of mechanical corrective specialties.

I was personally associated with Dr. Jackson for 7 years-and my work represents the best application of his principles.

Send me your work with fullest confidence of satisfactory results.

The pride I take in my service—and the resultant excellence have given me the patronage of the most representative practitioners throughout the country. Appliances, \$8.00 each.

CHESTER T. SWEET

SPECIALIST IN JACKSON REGULATING APPLIANCES

17 West 42nd Street

Telephone, 2278 Bryant

NEW YORK CITY

Orthodontic Appliances Dental Laboratories

Full and Complete Line of

Dental Supplies

Hettinger Bros. Mfg. Co.

Kansas City, Mo.

Oklahoma City, Okla.

St. Louis Dental Mfg. Co. (Hettinger Bros.)

St. Louis, Mo.

We Manufacture a

Full Line of Orthodontic Appliances

Send us your order, or write for prices, etc.

THE J. BIRD MOYER COMPANY, Inc., 1210 to 1214 VINE STREET PHILADELPHIA, PA.

Washington University Dental School

(Missouri Dental College)

The Fifty-third Annual Session will begin September 27, 1918, and continue thirty-two weeks exclusive of holidays.

This institution offers co-educational advantages in a four-year graded course of Dental Instruction second to none in America.

Thorough training in the fundamental sciences of the first year right on the campus, where teaching facilities are unsurpassed.

We particularly desire young men and women of broad general education, as Dentistry offers them unusual opportunities. This institution offers special facilities for general training in this profession.

Classes limited to fifty students each. Write today for full information. Address

DR. J. H. KENNERLY, Dean,

2900 Locust Street,

ST. LOUIS, MO.

Don't Sell Your Scrap Gold For Cash

¶ Send us your scraps and we will send you one dwt. of 18 kt. gold solder for every dwt. of 22 kt. gold scrap or crowns you send us. ¶ Insure or register all packages to us.

Hoke Smelting & Refining Co., OTSEGO, MICH.



The Most Suitable Anatomy for Dentists

Manual of Anatomy

Systemic and Practical, Including Embryology

By A. M. Buchanan, M.A., M.D., C.M., F.R.C.P.S., Glas., Professor of Anatomy in Anderson's College, Glasgow; Examiner in Anatomy for the Triple Qualification of the Scottish Licensing Bodies; Examiner in Anatomy for the Dental Diploma and Examiner in Anatomy (Human and Comparative) for the Fellowship of the Royal Faculty of Physicians and Surgeons of Glasgow; Examiner in Anatomy to the University of Glasgow; Formerly Senior Demonstrator of Anatomy in the University of Glasgow.

In three volumes, 1,559 pages, 630 engravings, including colored plates. Third edition. Price, per set, in durable silk cloth binding, \$7.50.

Just the anatomy for the practitioner of dentistry who desires a practical working general anatomy for reference. The fact that it has been divided into three handy volumes makes it more convenient to bandle than the large, cumbersome books. The arrangement of the text, the beautiful illustrations in black and white and in colors, the use of the old nomenclature, and the guide to dissection following each chapter are important features. The subject of embryology is dealt with by appending to the description of each organ a concise account of its development. There is a new chapter on General Embryology profusely illustrated. The Basle Nomenclature is given in the appendix.

Condensed Table of Contents

Volume I.—Osteology; Arthrology; Upper Limb; Guide to dissection of the upper limb; Lower Limb; Guide to dissection of the lower limb.

Volume II.—Abdomen; Guide to dissection of abdomen; Thorax; Guide to dissection of thorax.

Volume III.—Head and Neck; Guide to dissection of head and neck; Nose; Guide to dissection of nose; Nervous System; Spinal Cord; Guide to dissection; Eye; Guide to dissection of eye; Ear; Guide to dissection of ear; Bâle Nomenclature; Glossary; Index.



The London Lancet-

"It is quite as comprehensive as many treatises of a more pretentious size."

St. Bartholomew's Hospital Journal-

"Not quite so large as Gray's or Cunningham's, and is written on rather a different basis, being dealt with in special sections. This makes it a very useful book to work with, and though it is rather smaller than the other large books, this is compensated for by the fact that it is more concise and more easy of digestion."

Send for a set today - NOW, for your reference library - you will like it.

C. V. Mosby Company – Medical Publishers 801-809 Metropolitan Building ST. LOUIS, U. S. A.

CAMPHO-PHENIQUE

A SUPERIOR BURN DRESSING!

"FIRST AID" Treatment for BURNS and WOUNDS of various kinds is scientifically given when Campho-Phenique is freely used.

It soothes the injured surface—makes it surgically clean (without cauterizing) and stimulates tissue repair.

Campho-Phenique Powder should always be used where a DRY DRESS-ING is required.

If you wish to know the merits of Campho-Phenique let us send you a bottle. Write today.

Always specify original package.

CAMPHO-PHENIQUE COMPANY

ST. LOUIS, MO.

U. S. A.

Noon Sunlight Unit and North Exposure Lights are now available!

This light is colorless white and is the first light to ever appear that can be used for the selection of teeth after darkness. Late afternoon selection of teeth and dental operations are carried on the same as in noon day sun, north exposure window light.

FULL INFORMATION AND PRICES ON REQUEST.....SPECIFY CROCKER DAYLIGHT

FOR SALE BY





Equippers to the Dental Profession Ohio Dental and Surgical Depot

18 West 7th Street, CINCINNATI, OHIO



Yesterday

When hardly anyone knew the X-rays had a place in Dentistry, when there was not a Dental X-ray Equipment Company or a Dental X-ray machine in existence, Dr. Raper, enumerated, illustrated and described

Sixty-four Uses

of the radiograph in the practice of Dentistry.

Today

When the necessity of the use of the radiograph in Dentistry is fully established and radiographs are in general use, the urgent need of the Profession is to be taught radiographic interpretation.

The RAPER BOOK enumerates, describes and illustrates with radiographs and drawings

Forty-one Mistakes

in radiographic interpretation.

It does not simply illustrate and describe cases from practice (though it does this in the chapter on "The Uses of the Radiograph in Dentistry"), but teaches the principles of radiographic interpretation so they may be applied by YOU to YOUR cases.

SECOND EDITION

Elementary and Dental Radiography

by Dr. Howard R. Raper PRICE \$7.00


On sale at X-ray Manufacturing Companies and Dental Supply Houses.

CONSOLIDATED DENTAL MFG. CO. PUBLISHERS

Main Office: 130 Washington Place, New York.

Boston Chicago Cleveland New York

New Revised Fifth Edition Now Ready



Dental Materia Medica ^{and} Therapeutics

With Special Reference to the Rational Application of Remedial Measures to Dental Diseases.—A Textbook for Students and Practitioners.

By HERMANN PRINZ, A.M., D.D.S., M.D.

Professor of Materia Medica and Therapeutics, The Thomas W. Evans Museum and Dental Institute School of Dentistry University of Pennsylvania; formerly Professor of Materia Medica, Therapeutics, and Pathology, and Director of the Research Laboratory, Washington University Dental School, St. Louis.

650 pages, Octavo, 161 illustrations. ifth edition, enlarged and revised according to the United States Pharmacopeia, 9th Decennial Revision. Price, silk cloth binding, \$5.00.

3,000 copies purchased by the U. S. Army

THE complete exhaustion of the fourth edition within less than one year after its publication again has necessitated a revision of the text—within a period of seven years five editions have been called for. That this book is popular among the members of the dental profession and the teaching fraternity is evidenced by the fact that it is used in 95 per cent of the dental colleges as the required text. Another evidence of the wide popularity of this book is its recent adoption by the U. S. Army—every dentist going with a Unit to Europe will have a copy as a part of his equipment.

The numerous important changes relative to average doses of drugs and also the addition of a number of valuable compounds of special interest to the dental profession incorporated in the recently published 9th Decennial Revision of the U.S. Pharmacopeia have been duly considered in the new fifth edition of this book.

A properly classified therapeutic index of drugs has been added to assist the practitioner in the quick selection of a suitable remedy when needed. The article on Electro-sterilization has been completely rewritten, many new illustrations have been added, and numerous changes have been made so as to harmonize the text with the latest achievements in dental materia medica and therapeutics.

Order Your Copy Today Through Your Dental Dealer or From the Publisher

C. V. Mosby Company—Dental Publishers 801-809 Metropolitan Building, ST. LOUIS, U. S. A.

(Send for complete catalogue of dental and medical books.)

Duplicating Nature's Shading in Denture Service

You cannot possibly achieve, with artificial teeth all of one shade in the set, the effects which Nature secures by varying the depth of shade in upper natural anteriors.

You can very readily achieve fine effects by the use of

Trubyte Teeth

in which the depth of shade in the upper laterals and cuspids is varied as in fine sets of natural teeth.

Merely select the shade of upper central you wish, preferably by the Twentieth Century Shade Guide, and other teeth of that shade. The laterals and cuspids will come right without special attention on your part.

THE DENTISTS' SUPPLY COMPANY OF NEW YORK

SOLE MANUFACTURERS

220WEST42MST.

NEW YORK

Occlusion— Articulation— Trituration

Any artificial teeth can be made to occlude.

Pretty nearly any artificial teeth can be made to articulate. But no artificial teeth can be made efficient in mastication unless they were carved by a man who understood the principles of occlusion, articulation and trituration.

Trubyte Teeth

represent lifetimes of labor by the profession's greatest masters of articulation and trituration,

J. Leon Williams, D.D.S., F.R.A.S., F.A.S.

and

Professor Dr. Alfred Gysi.


THE DENTISTS' SUPPLY

COMPANYOF NEWYORK

22OWEST42™ST.

AOD





tells more about how to take impressions and bites, select and arrange teeth, flask, pack, vulcanize and refit dentures in fewer words than any other ever published. It is being sent free to every subscriber to

The Dental Digest

for 1918, and will be sent free to every new subscriber for 1919. 256 pages, 223 pictures, nearly all original.

If you want it subscribe now. Prices:

U. S. A. and Possessions	\$1.00
Canada	1.40
Foreign	1.75

The Dentists' Supply Company

220 West 42d Street NEW YORK, N. Y.

THE JOURNAL OF ROENTGENOLOGY



Official publication of the Western Roentgen Society, Inc., and is published quarterly.
under the authority of the Society.

EDITOR

Bundy Allen, M.D.	-		-	-	-	-	-	-	-	-	Iowa City, Iowa
-------------------	---	--	---	---	---	---	---	---	---	---	-----------------

ASSOCIATE EDITOR

Albert F. Tyler, M.D.				-		-			-		-	Omaha, Nebr.
-----------------------	--	--	--	---	--	---	--	--	---	--	---	--------------

EDITORIAL STAFF

B. H. Orndoff, M.D.,	-	Chicago, Ill.	M. B. Titterington, M.D.,	St. Louis, Mo.
Edw. W. Rowe, M.D.,	-	Lincoln, Neb.	F. S. O'Hara, M.D.,	Springfield, Ill.
I. S. Trostler, M.D.,	-	Chicago, Ill.	Thomas A. Burcham, M.D.	Des Moines, Ia.
O. H. McCandless, M.D.	, K	ansas City, Mo.	Edward A. Merritt, M.D., C	Council Bluffs, Ia.
Frank Smithies, M.D.,		Chicago, Ill.	H. O. Hansen, D.D.S.,	Chicago, Ill.

The Journal intends to cover the entire field of Roentgenology and Radium. Space will be given to the Theory and Practical application of the Ray, diagnostically and therapeutically in the various branches of Medicine and Dentistry

Sign and Mail this Coupon Today

WESTERN ROENTGEN SOCIETY, Inc.


Iowa City, Iowa

Please enter my name on your subscription list for the Journal of Roentgenology for one year and thereafter until notified to cancel subscription. Subscription rate \$5.00 per year. \$1.50 per copy.

Name M.D. or D.D.S. Address

Address all communications to Bundy Allen, M.D., Editor, Iowa City, Iowa. Make all checks payable to the Western Roentgen Society

A New and Authoritative Dental Book



Oral Sepsis

in relationship to
Systemic Disease

From the Viewpoint of an Internist

By Wm. W. Duke, M.D. (Johns Hopkins), Ph.B. (Yale University); Professor of Experimental Medicine in the University of Kansas School of Medicine; Professor in the Department of Medicine in Western Dental College; Visiting Physician to Christian Church Hospital; Consulting Physician to Kansas City General Hospital, Kansas City, Mo., etc.

THIS new work is an authoritative presentation of the relationship which exists between infections of the gums and alveolar process and certain systemic disorders. The subject is presented from the standpoint of bacteriology, pathology, immunology, as well as of dentistry. Pyorrhea alveolaris, alveolar abscesses, metastatic infections, nonrelated infections as influenced by dental sepsis, headache caused by dental sepsis, toxic effect of dental sep-

sis, etc., are all thoroughly discussed. The conclusions presented are based upon an experience with more than a thousand carefully studied cases observed

in a consulting office practice, and the illustrations were selected from over 8,000 dental films. Every dentist who wishes to keep abreast with this important advance in dentistry should possess a copy of this valuable book.

The Dental Digest says:

"The subject is one in which the author shows great shility in handling, and the book will be a valuable addition to any dentist's library. There are 170 illustrations and a bibliography that is not often found in even more pretentious works."

The Journal Missouri State Medical Association says:

"Dr. Duke's close association with members of the dental profession is evident and this work should do much toward bringing about a better understanding between the professions of medicine and dentistry in the solution of the problems of oral sepsis. The book should be read by every dentist and every physician. It is to be commended for its clarity and conciseness."

124 pages, with 170 original illustrations. Beautifully printed and bound in silk cloth.

Price, \$2.50. Send for a copy today—NOW.


C. V. Mosby Co.—Medical Publishers

801-809 Metropolitan Building

St. Louis, Missouri

New!

The 6-color - 6-ounce package of



It replaces the \$15 package. It contains the equivalent of six full-portioned packages of Smith's Copper Cement.

The price is \$10.

This is the economical way to purchase Smith's Copper Cement as the material does not deteriorate.

The standard assortment of shades is:

1 shade No. 1—Light 1 shade No. 3—Pearl Gray 1 shade No. 2—Light Gray 1 shade No. 4—Light Yellow 1 shade No. 5—Yellow 1 shade No. 7—Golden Brown

The crown and bridge assortment is:

1 shade No. 1—Light 1 shade No. 3—Pearl Gray 4 shade No. 7—Golden Brown

An additional amount of Golden Brown powder is provided with this assortment since this shade is especially recommended for crown, bridge and inlay work. It is calcined in our furnaces for a much longer period than the other shades and at a higher degree of heat. The liquid absorbs a greater amount of Golden Brown powder, providing a mass of greater density. Ask your dealer or

Lee S. Smith & Son Mfg. Company

General Offices and Manufacturing Laboratories

Pittsburgh, U. S. A.

MERRY CHRISTMAS, EVERYBODY!

ANNOUNCEMENT FOR 1919

The DEWEY SCHOOL of ORTHODONTIA

Will hold its next annual session in the City of Chicago beginning June 19, 1919, to continue through eight weeks of study.

Practically the same course, with some few modifications, will be given as in years past.

For Further Information Write

H. C. POLLOCK, D.D.S.,
724 Metropolitan Bldg.
ST. LOUIS
ST. LOUIS
Scoretary
MARTIN DEWEY, D.D.S.
25 E. Washington St.
CHICAGO

化多数保护的特殊的现在分词的现在分词的现在分词的现在分词的

"Peace on Earth, Good Will to Men"



To the Medical, Surgical, Pental and Nursing Professions everywhere, we extend the

Season's Greetings

Many, many thanks for your generous patronage and the kindness shown us during the year nineteen hundred eighteen.

Faithfully yours,

Columby mot,

For the C. U. Mosby Company Medical Publishers—St. Louis

The Genuine "FISCHER" (All Glass and Metal)


R. & R. Hypodermic Syringe

No Leather or Rubber Washers

These Syringes are made of metal and glass only, with graduated glass barrels, accurately fitting monell-metal plungers, extra large and strong movable finger bars, checkered on the gripping surface, and screw extens in rod with crutch handle, which adjusts itself to the ball of the thumb and permits of the exercise of particularly strong pressure. Their entire surface is uniformly round, smooth and broad-edged. Small grooves and edges, apt to retain dust and impurities, difficult to clean, are avoided. The mounts, chucks and connections (see illustrations) can be screwed firmly down with small spanner furnished with each; they are thus joined with positive security to the syringe nipple without the use of either leather or rubber washers. Such washers are not aseptic, a perfectly tight joint cannot be made with them and they quickly wear out. The nonuse of washers represents a great and convenient practical simplification and an important therapeutic improvement.

Connections shown in illustration have a layer of soft composition metal and a central hard metal bushing embedded above their interior screw threads. The shanks are of very small bore, reducing waste of fluid to the minimum.

Each barrel, plunger and plug form a distinct unit, in which the parts are accurately fitted and are not interchangeable.



40 minim or 2 ccm Syringe 2-3 actual size.

We have been manufacturing the genuine "Fischer Perfection Syringe" for nearly two years and are filling orders as fast as we can make the syringes. The demand is and constantly has been greater than the production. We will fill all orders in turn as promptly as possible.

Prices in U. S. A.

(40 minims)

The 1% inch needle is used for mandibular anesthesia.

Directions for use accompany each Syringe.

Note—Professor Fischer recommends the exclusive use of the short bevel pointed needles, the outside diameter of which is about 25 gauge, regular Schimmel needles.

The Ransom & Randolph Company

CLEVELAND JACKSON GRAND RAPIDS

COLUMBUS AKRON

WINTER

COUGHS, COLDS, CROUP yield to

CALCIDIN

We've said this for years and for years the answer has come back in an increasing chorus from thousands of enthusiastic physicians, "I am having splendid results from Calcidin."

Try the CALCIDIN TROCHE

Presenting Calcidin in delicious, palatable troche form. Children take them eagerly. Fine for those tickling coughs.

Calcidin $\frac{1}{3}$ gr. 1 gr. $\frac{21}{2}$ gr. 5 gr. In bottles of 100, 500, or 1000 Calcidin Troches in 100's, 500's and 1000's

TO PREVENT Influenza Colds, Pneumonia use M. Catarrhalis-Combined

Pneumococcus - Combined

BACTERINS

Use these bacterins both for prophylactic and curative purposes. Of great service in checking influenza infections and preventing and treating pneumonia complications.

Per box of 6—1 mil
ampules _____\$1.50
5 mils in bulk container _____ 1.00
20 mils in bulk container _____ 3.50

CHLORAZENE

The best antiseptic for all general purposes. Many times more powerful than phenol, mercury bichloride, hydrogen peroxide and other antiseptics, but at the same time non-poisonous and non-irritating.

DICHLORAMINE-T

Dakin's oil soluble, non-irritating antiseptic. Leads all others in potency and speed of action. For all wounds and infections, nasal and throat sprays.

Send for literature on the Dakin products.

Triple Arsenates

with NUCLEIN

Puts "pep" and strength back into that patient recovering from Spanish Influenza, pneumonia, typhoid, or surgical operation. An extremely powerful reconstructive tonic. Try it for that "run down" feeling.

Strychnine Arsenate gr. 1/128
Quinine Arsenate gr. 1/64
Iron Arsenate gr. 1/64
Nuclein Solution mins 4
Also No. 2—Double Strength.
In 100's, 500's and 1,000's.

Order Now. Through Your Druggist or Direct

THE ABBOTT LABORATORIES

Home Office and Laboratories:

Chicago, Dept. 99

New York

Seattle

San Francisco

Los Angeles

Toronto


Bombay

The Most Successful Book of its Kind

Dental and Oral Radiography

By James David McCoy, D.D.S., Professor of Orthodontia and Radiography in the College of Dentistry of the University of Southern California, Los Angeles.

180 pages, 6x9, 123 illustrations. Second edition, completely revised and rewritten. Price, silk cloth binding, \$2.50.



A greatly reduced reproduction of one of the many beautiful and instructive illustrations in this book.

This is a book for the beginner in radiography. It contains everything essential for the dentist desiring to take up the practice of radiography or use it in his daily work. Technicalities are avoided, and the work is so concise and simple that anyone can understand and apply it.

In a recent review the **Dental Cosmos** had the following to say: "Of all the attempts which have come under our notice to instruct the novice in the elementary principles and practice of radiography, none in our opinion, has so satisfactorily accomplished its purpose as this book. The electrophysics underlying the phenomena of the x-ray, the means for its production and utilization, the methods for its successful application to the needs of dental practice, are most satisfactorily set forth in a logic and lucid manner." That

there is a real need for this book is demonstrated by the fact that a new edition was called for within a very short time.

Opinions from Teachers-

"It will be a valuable aid in teaching this subject. The text explains a number of practical points in technic I have never found in any other book. I will be very glad to recommend its use to dental students and others."—H. J. Means, Instructor in Radiography, Ohio State University, College of Dentistry.

"The clarity, conciseness and well executed illustrations should win it immediate recognition in a field which, until the appearance of this book, has been particularly neglected. I shall be glad to recommend it to my dental students and friends in the profession.—M. K. Fisher, M.D., Instructor in Roentgenology, Philadelphia Dental College.

The New Jersey Dental Journal-

"One does not need to be an electrical engineer to read this book and digest its contents. Dr. McCoy is to be congratulated on having produced a book dealing with this very important subject, which is so readable, so concise, and contains everything which it is essential for the dentist practicing or intending to practice radiography to know."

THE C. V. MOSBY COMPANY-Publishers

801-809 Metropolitan Building

St. Louis, U. S. A.

The Forsyth Dental Infirmary

Announces that the

Post Graduate School of Orthodontia

Will be discontinued for the duration of the war

No. 140 The Fenway

Boston, Mass.

DISCRETION IN DISPOSING

OF YOUR CROWN AND BRIDGE SCRAPS, SWEEPS, ETC.

SEND THEM TO REFINERS OF HIGH RESPONSIBILITY.

Backed by years of experience, and get your just due on returns.

We will give credit for Platinum contents in scraps, etc.

Do you get this, although certain that it was present?

All Platinum metals in our possession are used for Government or essential purposes and under control of the War Industries Board.

Bureau of Mines Licenses granted us to buy, sell and possess Platinum, Iridium and Palladium under the usual control of the War Industries Board.

Act of Congress October 6, 1917, Amended July 1, 1918, "limiting the sale, possession and use of Platinum, Iridium, Palladium and compounds thereof."

American Platinum Works

225-231 New Jersey Railroad Avenue NEWARK, NEW JERSEY It has been fairly well established that Spanish Influenza gets its start in the mouth. Health Board rules and directions all call attention to the importance of keeping the mouth clean, and they also emphasize the importance of clean hands, for the hands are continually in contact with things that may be infected and are as constantly going to the mouth.

Of all the personal germicides and cleansing agents there is nothing superior to

Dioxogen

Perfectly harmless, yet an effective germ destroyer, it may be used as a mouth wash or with soap to sterilize the hands, or it may be used as a spray for the throat, in fact it may be used in most any way that seems desirable; its flexibility of use combined with its harmlessness and effectiveness constitute its chief claim to distinction.

Dioxogen cleanliness is perhaps the best protection against Spanish Influenza or any of the communicable diseases.

The Oakland Chemical Co.

10 Astor Place

New York, N. Y.

